



# SLAMP®

THE LEADING LIGHT

COMPENDIUM 2025-2026



COMPENDIUM 2025-2026

WWW.SLAMP.COM

VISION

SLAMP REDEFINES LIGHTING  
THROUGH AN IMMERSIVE BACKDROP

ABLE TO BE TRANSFORMED INTO  
POWERFUL, FULFILLED DESIRE.

SLAMP VUOLE RIDEFINIRE IL CONCETTO DI ILLUMINAZIONE  
IN **SCENOGRAFIE DI LUCE** COSÌ POTENTI DA DIVENTARE BISOGNI

**SLAMP:**

# SLAMP

## THE LEADING LIGHT

For **30 years**, our collections—testaments to our dedication to innovation and aesthetic excellence—have uniquely illuminated the art of lighting.

Slamp blends industry and craftsmanship, art and design. Founded in 1994 from a creative vision of our CEO and founder **Roberto Ziliani**, who was honored with the **Compasso d'Oro alla Carriera** in 2024, coinciding with the brand's 30th-anniversary celebrations.

**Slamp redefines lighting through an immersive backdrop able to be transformed into powerful, fulfilled desire.**

We believe in **relationships** and in the synergistic collaboration between our company and internationally renowned designers and archi-stars, who bring to life truly unique lighting sculptures. Since our founding, we have been deeply committed to a sustainable approach, using durable, recyclable techno-polymers while continuously optimizing material offcuts. Thanks to our cold-cutting techniques and the meticulous design of our production site, Slamp operates with a **low environmental footprint**.

Our ability to experiment allows us to create original shapes, adaptable within space, capable of bringing to life truly unique luminous sculptures. This approach has also led us to embrace new materials such as steel and polycarbonate while preserving the distinctive DNA and recognizable aesthetics of Slamp - crafted through interlocking, cutting, and folding techniques - for **our first outdoor collections**.

Describing something entirely new is a challenge for all languages, which must reinvent themselves to give expression to the unseen. Innovation means imagining and creating what has never existed before. This spirit is epitomized by the **Nuvem Modular System** - a groundbreaking concept that continues to inspire our work and enables designers now to illuminate also outdoor spaces with this unique system.

Our headquarters, just outside Rome, is more than a creative hub and factory—it is a place where ideas and visions grow together, a space designed to be shared with design professionals.

**Our doors are always open**, as the future is crafted by many hands, united by a shared passion and desire to build something that will endure for generations.

Per **30 anni** le nostre collezioni, testamento della nostra dedizione all'innovazione e alla perizia estetica, hanno proiettato una luce senza uguali sull'arte dell'illuminazione e del design.

Slamp unisce industria e artigianato, arte e design e nasce nel 1994 da un'intuizione creativa del nostro CEO e fondatore **Roberto Ziliani** che ha ottenuto il riconoscimento del **Compasso d'Oro alla Carriera** nel 2024 proprio in concomitanza con le celebrazioni del trentesimo anniversario del brand.

**Slamp vuole ridefinire il concetto di illuminazione in scenografie di luce così potenti da diventare bisogni.**

Crediamo nelle relazioni e nel rapporto sinergico fra azienda e designer/archistar di fama internazionale che danno vita a vere e proprie sculture luminose uniche nel loro genere.

Fin dalla fondazione siamo particolarmente attenti al ciclo virtuoso dei tecnopoliimeri resistenti, riciclabili e durevoli e alla costante ottimizzazione degli sfridi di produzione. Grazie alle nostre tecniche di lavorazione a freddo e all'attenzione con cui è stato progettato il sito produttivo, Slamp è un'azienda a basso impatto ambientale.

La nostra abilità di sperimentare, ci consente di creare forme inedite, modulabili nello spazio, capaci di dar vita a vere e proprie sculture luminose uniche nel loro genere e ci ha portato ad accogliere anche nuovi materiali come l'acciaio e il policarbonato pur mantenendo il DNA e l'estetica riconoscibile propria di Slamp, fatto di incastri, tagli, piegature per **le nostre prime collezioni outdoor**.

Raccontare qualcosa di mai visto è una sfida per il linguaggio, che deve reinventarsi per dar voce all'inedito. Innovare significa creare ciò che ancora non esiste, come dimostra il **sistema Modulare Nuvem**, un'idea rivoluzionaria che continua ad ispirare il nostro lavoro e quello dei progettisti che scelgono di illuminare da oggi, anche gli spazi esterni con questo sistema irripetibile unico nel suo genere.

Il nostro HQ alle porte di Roma non è solo un hub creativo e uno stabilimento produttivo, ma un luogo di idee e visioni che crescono insieme e che desideriamo condividere con i professionisti del progetto.


**Le nostre porte non si chiudono mai**, perché il futuro si progetta a più mani, con chi condivide la nostra passione e il desiderio di costruire qualcosa che duri per generazioni.



INDOOR + OUTDOOR LAMPS  
ALPHABETICAL INDEX

ACCORDÉON	228	HANAMI	202
ARIA	10	HUGO	178
ARIA INFINITA	22	IDEA	300
ATMOSFERA	296	KALATOS	270
AURORA	298	LA LOLLO	164
AVIA	28	LA LOLONA	156
BACH	260	LA TRAVIATA	62
BANG OUTDOOR	102	LA VIE	248
CACTUS	286	LAFLEUR	186
CEREMONY / LE GRAND CEREMONY	224	LAS PALMAS	314
CHANTAL	56	LILLIBET	304
CHARLOTTE / HALF CHARLOTTE	48	LIZA	258
CHARLOTTE OUTDOOR	36	MEDUSA	305
CLIZIA	124	MIDA	266
CORDOBA	96	MODULA	146
DIAMOND	280	NUVEM	70
DRUSA	290	NUVEM OUTDOOR	80
ÉTOILE / LA BELLE ÉTOILE	192	ODEON	174
FABULA	288	OVERLAY	308
FIORDLYS	240	QUANTICA	274
FOIRELLA	254	THE LIGHTNING ARCHIVES	264
FLORA	282	TULIP	112
GEMMY	278	VELI	206
GINETTA	312	VENTI	306
GOCCIA	294		

## INDOOR SUSPENSION LAMP INDEX



## INDOOR CEILING LAMP INDEX



## INDOOR WALL LAMP INDEX



## INDOOR TABLE LAMP INDEX



ACCORDÉON  
p.238



ACCORDÉON BATTERY  
p.234



ATMOSFERA  
p.296



CLIZIA BATTERY/TABLE  
p.138



DIAMOND  
p.280



FIORELLINA  
p.256



BANG STEP LIGHT  
p.102



BANG APPLIQUE  
p.102



CHARLOTTE BOLLARD  
p.36



CHARLOTTE WALL  
p.42



NUVEM OUTDOOR  
p.80



IDEA  
p.302



LAFLEUR BATTERY  
p.186



LIZA  
p.258



OVERLAY  
p.308



TULIP BATTERY  
p.120



VELÌ  
p.219

## INDOOR FLOOR LAMP INDEX



BACH  
p.260



CACTUS  
p.286



CHARLOTTE  
p.50



DIAMOND  
p.281



FLORA  
p.282



HUGO  
p.184



LA LOLLO  
p.172



LAS PALMAS  
p.314



MODULA  
p.147




THE LIGHTNING ARCHIVES  
p.264



VENTI  
p.306

## OUTDOOR LAMP INDEX

SIGNATURE COLLECTIONS



Heydar Aliyev Center, Baku ©Helene Binet © Zaha Hadid Architects.


"LIGHT YIELDS ENDLESS OPPORTUNITIES,  
DEFINING THE WORLD AROUND US"




ZAHA  
HADID

# ARIA

BY ZAHA HADID



12




13



Aria Gold has Cristalflex® arms **metallized in a hyperbaric chamber**; each piece is cut numerically, wrapped, and placed within the shipping box. Clients can rapidly and intuitively assemble the lamp.

Nella Aria Gold le lance in Cristalflex® vengono **metallizzate tramite evaporizzazione in camera iperbarica**, scrupolosamente esaminate, poi tagliate tramite un sistema a controllo numerico e infine inserite nel box, intervallate da uno strato protettivo, al fine di rendere l'installazione da parte del cliente intuitiva e veloce.



technical details p. 319



Aria XL Black Fade  
Ø90cm

**XL size** available in Black Fade (pictured), in Gold and Transparent.  
La dimensione XL è disponibile con sfumatura nera (in foto), in oro e trasparente. **Ø90 cm x h. 130 cm**  
Printing processes with nontoxic inks are certified by Greenguard in the Indoor Air Quality category.  
I processi di stampa con inchiostri atossici sono certificati da Greenguard nella categoria Indoor Air Quality.

technical details p. 319



## APPLIQUE

### Aria Applique

Lighting / Illuminazione: 2 x 6W E14/E12 LED Filament Bulbs + 1 x 6W Spot LED E14/E12

Size / Dimensioni: 41 x 22 x h. 60 cm - 16" x 8-1/2" x h. 23-1/2"



technical details p. 319



25 DIFFERENT  
LAYERS

# ARIA

## INFINITA BY ZAHA HADID



10<sup>TH</sup> ANNIVERSARY

To celebrate the 10<sup>th</sup> year anniversary of Slamp's collaboration with Hadid Design Studio, Zaha's iconic 2013 Aria takes on new form in a modular version.

In onore del 10° anniversario della collaborazione fra Slamp e lo Studio Hadid Design nasce la versione modulare dell'iconico best seller Aria, firmato da Zaha Hadid nel 2013.



technical details p. 320


# A SINUOUSLY UNDULATES THROUGHOUT SPACE



## A CUSTOMIZABLE SYSTEM FOR SITE-SPECIFIC PROJECTS

To celebrate the 10 year anniversary of Slamp's collaboration with Hadid Design Studio, Zaha's iconic 2013 Aria takes on new form in a modular version. The illuminated modular system sinuously undulates throughout space with diverse polycarbonate layers that in the lamp's highest points, reach two meters of visionary fluidity. The lamp's ever-evolving points of view are the fruit of careful research focused on how Lentiflex® enhances and liquifies illumination. Available in both total white and gold finishes: the elements are metallized through a process where an aluminum bar is vaporized in a hyperbaric chamber. The Slamp Team can customize solutions to any space, working alongside designers.

In onore del 10° anniversario della collaborazione fra Slamp e Zaha Hadid Design nasce la versione modulare dell'iconico best seller Aria, firmato da Zaha Hadid nel 2013. La scultura luminosa è composta da un corpo illuminante modulare che crea onde sinusoidali nello spazio, avvolta da layer in policarbonato tutti diversi fra loro che creano un disegno fluido e visionario e che, nel punto più alto della lampada, arrivano ai 2 metri di altezza. Grazie ad un attento studio sulla luce, essa cambia ed evolve a seconda del punto di osservazione: il corpo luminoso è infatti realizzato in Lentiflex®, materiale capace di fluidificare e propagare il flusso luminoso. È disponibile in due finiture, total white e metallizzata in oro, metallizzazione che si ottiene tramite la vaporizzazione di una barretta di alluminio in camera iperbarica. Realizzata su misura per progetti custom.





Studio Hadid Design concept render

## 3 ARRANGEMENTS SHOW SLAMP & ZAHA HADID STUDIO PRODUCTS' DECOR POSSIBILITIES



### ARIA INFINITA ARRANGEMENT 1

30 X 12W E26/E27 LED Filament Bulbs + 8 x 12W Spot LED PAR 38





### ARIA INFINITA ARRANGEMENT 2

54 X 12W E26/E27 LED Filament Bulbs + 14 x 12W Spot LED PAR 38



### ARIA INFINITA ARRANGEMENT 3

78 X 12W E26/E27 LED Filament Bulbs + 22 x 12W Spot LED PAR 38



# AVIA

BY ZAHA HADID



technical details p. 322



**Avia Suspension**

Available in 4 sizes, ranging from Small to XL. Disponibile in 4 dimensioni dalla Small alla XL.





## AVIA EDITION

A LIMITED SERIES OF  
99 PIECES


technical details p. 322



**Avia Edition** is the exclusive capsule collection in a limited series of 99 pieces per colour of the **Medium version** of Avia. Colours in shades of blue make the luminous sculpture designed by Zaha Hadid look like a mysterious creature that has just emerged from the depths of the ocean.

**Avia Edition** è l'esclusiva capsule collection in serie limitata di 99 pezzi per colore della **versione media** di Avia. Le colorazioni sui toni del blu rendono la scultura luminosa firmata da Zaha Hadid una creatura misteriosa appena emersa dalle profondità dell'oceano.

SIGNATURE COLLECTIONS



Shenzhen Bao'An International Airport, Shenzhen, China © Leonardo Finotti


"LIGHT IS THE SOLIDITY OF ARCHITECTURE"



DORIANA AND MASSIMILIANO  
**FUKSAS**


# CHARLOTTE

BY DORIANA AND  
MASSIMILIANO FUKSAS



NEW OUTDOOR COLLECTION  
**CHARLOTTE BOLLARD**



**Charlotte Bollard outdoor**Lighting/Illuminazione: 4.2W - 220~230Vac/50Hz - 500 Lumen - 3000 Kelvin - IP65 - Bidirectional Integrated LEDSize/Dimensioni: 14 x h 63 cm (base Ø25 cm) | 110V version available.

Charlotte Bollard Light Gray

technical details p. 326


## ANTI-GLARE FOR VISUAL COMFORT

The outdoor lighting system engineered by Slamp for the outdoor collections consists of a **bidirectional LED board**, **operated at 220-230 Vac (110V available)** sealed in resin to provide IP65 protection. The LED board - **designed to minimize direct glare and optimize light distribution** - is housed in a polycarbonate and aluminum case, which offers additional impact protection and improves durability.

Charlotte Bollard (h. 63 cm) is attached to an **aesthetic base** that can be anchored to the ground with screws or **an optional ground spike**.

Il sistema di illuminazione ingegnerizzato da Slamp per le collezioni outdoor è composto da una **scheda LED bidirezionale**, operata a **tensione 220-230 Vac (disponibile 110 V)** sigillata in resina per garantire un grado di protezione IP65. La scheda LED - **progettata per minimizzare l'abbagliamento diretto e ottimizzare la distribuzione della luce** - è posizionata in un alloggio di policarbonato e alluminio, che offre ulteriore protezione dagli urti e ne migliora la durabilità.

Il fissaggio di Charlotte Bollard (h. 63 cm) avviene su **una base estetica** che può essere ancorata al suolo con viti o con un **picchetto opzionale**.



Charlotte Bollard Light Gray





CON  
CEN  
TRIC  
HEXAGONS

**Charlotte Applique Outdoor**

Lighting/Illuminazione: 4.2W - 220~230Vac/50Hz - 500 Lumen - 3000 Kelvin - IP65 - Bidirectional Integrated LED.

Size/Dimensioni: 14 x 18 x h 28 cm. Pictured/in foto Charlotte Applique Outdoor Corten. | 110V version available.

NEW OUTDOOR COLLECTION  
**CHARLOTTE APPLIQUE**





Charlotte Outdoor Applique Light Gray

technical details p. 326



APPLIQUE  
WITH SCULPTURAL  
**SHAPE**

Charlotte Outdoor Applique Corten

A photograph of a landscape during dusk or night. In the foreground, a tall, textured stone pillar stands on the right, with a Charlotte Outdoor Applique Corten mounted on it, emitting a warm glow. In the background, there are silhouettes of buildings and trees against a sky with orange and yellow hues from the setting sun.

technical details p. 326

## EASY AND SAFE INSTALLATION



**Cataphoresis-treated and powder-coated steel** (Anthracite, Corten or Light Gray) provides to the Charlotte Applique maximum resistance to UV aggression and corrosion.

Quick and easy installation thanks to the **wall mounting bracket**. The lighting system is sealed to allow an **IP65 rating**, but the striking design of Studio Fuksas' geometries makes the lamp perfect for indoor use as well.

L'acciaio trattato con cataforesi e verniciato a polvere (Antracite, Corten o Grigio Chiaro), garantisce alla Charlotte Outdoor Applique massima resistenza alle aggressioni dei raggi UV e alla corrosione.

L'installazione è facile e veloce e viene eseguita tramite una **staffa di fissaggio a parete**. Il sistema luminoso è sigillato per permettere un **grado di protezione IP65** ma il design suggestivo delle geometrie di Studio Fuksas, rende perfetta la lampada anche per uso indoor.



ANTHRACITE



CORTEN



LIGHT GRAY




# HALF CHARLOTTE



**Half Charlotte Suspension**

Lighting / Illuminazione: 4 x 12W E27/E26 LED Filament Bulbs | Size / Dimensione: Ø79 x h. 55 cm - Ø31-1/4" x h. 21-1/2"

technical details p. 326



h.182 cm

**Charlotte Floor.** Simple lines and the classic shape of this 1.82 cm high floor lamp make it an ideal solution for all interior styles. Le linee semplici e la forma classica di questa lampada da terra alta 1,82 cm la rendono una soluzione adeguata a tutti gli stili di interior.

Lighting / Illuminazione: 2 x 12W E26/E27 LED Filament Bulbs | Size / Dimensioni: Ø32 x h.182 cm - Ø12-1/2" x h.71-3/4"

technical details p. 325



The distinctive perforated geometric pattern of the collection is declined in **Charlotte Globe** in the cosy and archetypal form of a sphere with a diameter of 60 cm. With a magnetic attachment for easy installation and cleaning.

Il decoro geometrico forato che caratterizza la collezione si declina in **Charlotte Globe** nella forma accogliente ed archetipale di una sfera dal diametro di 60 cm. Dotata di attacco magnetico per agevolarne l'installazione e la pulizia.

# CHARLOTTE GLOBE



**Charlotte Applique** is an indoor wall lamp with a **dual hanging system**: as a picture, for those who want to avoid drilling holes in the wall, or with wall anchorage points for those who prefer greater security.

**Charlotte Applique** è una lampada da parete per interno dotata di un **duplice sistema di appendimento**: come un quadro, per chi vuole evitare di forare la parete, o con punti di ancoraggio a muro per chi preferisce una maggiore sicurezza.



# CHANTAL

BY DORIANA AND  
MASSIMILIANO FUKSAS

technical details p. 325




56




57



58



**Chantal Suspension**  
Lighting / Illuminazione:  
**Medium:** 7 x 12W E27/E26 LED Filament Bulbs | **Small:** 4 x 12W E27/E26 LED Filament Bulbs.




technical details p. 325

59

SIGNATURE COLLECTIONS

La Traviata, directed by Robert Wilson. Act 1, Myung Joo Lee (Violetta Valéry) Linz, 2015 ©Lucie Jansch.



"WITHOUT LIGHT, THERE IS NO SPACE"

ROBERT  
**WILSON**

Robert Wilson portrait ©Lucie Jansch

# LA TRAVIATA


BY ROBERT WILSON



technical details p. 337



Product launch event, Milan's **Triennale Teatro dell'Arte**, April 2016. Robert Wilson set the stage for the inaugural dinner with a choreography of harmonious chromatic movement; La Traviata illuminated the renowned **Chef Genaro Esposito's delectable plates**. Evento di lancio presso il **Teatro dell'Arte della Triennale di Milano**, aprile 2016. Cena placè con scenografia di La Traviata realizzata da Robert Wilson, con colori e movimenti armonizzati con le portate dello chef stellato **Genaro Esposito**.



La Traviata is a complete work of art, blending architecture, light, poetry, dance and music, where Director Robert Wilson transferred his personal dialogue between theater and light to a luminous sculpture.


La Traviata è un'opera d'arte totale: è architettura, è luce, è poesia, è danza, è movimento. Con un dialogo tra design e teatro, il drammaturgo Robert Wilson ha trasferito il suo linguaggio in una scultura luminosa.

technical details p. 337




"WITHHOUT LIGHT  
+THERE IS  
NO SPACE"

robert wilson



Totally invisible injection-moulded connectors were designed to attach the individual Lentiflex® lances to the methacrylate 'main arrow' of La Traviata. Each connection encloses an RGB LED (13 for the 220 version and 9 for the 180 version).

Dei connettori stampati ad iniezione totalmente invisibili sono stati progettati per agganciare le singole lance in Lentiflex® alla "main arrow" in metacrilato. Ogni connessione racchiude un LED RGB (13 per la versione 220 e 9 nella versione 180).



La Traviata displayed in Felsina (Tuscany) during the Art of the Treasure Hunt event - 2016  
La Traviata in mostra a Felsina (Toscana) durante l'evento Art of the Treasure Hunt - 2016

SIGNATURE COLLECTIONS

Vila Franca de Xira Municipal Library, by Miguel Arruda Arquitectos Associados, Portugal.



"NUVEM IS SOMETHING NEVER SEEN BEFORE"




MIGUEL  
ARRUDA

# NUVEM

INDOOR MODULAR SYSTEM  
BY MIGUEL ARRUDA

technical details p. 341





Pictured: 616 one sq.m modules with 122 bidirectional spotlights.

Nella foto: 616 moduli da 1mq con 122 spotlights bidirezionali.





Pictured: 3 overlapping bands of Nuvem create a composition of 115 modules in a reception area.

Nella foto: una reception con 3 strati di Nuvem che creano una composizione di 115 moduli.



technical details p. 341




Nuvem Velvet  
Boutique Testoni, Milan, Italy.  
©MAPA architettiassociati



# NUVEM MODULAR SYSTEM INDOOR

technical details p. 341


## INFINITE EXTENSIONS IN EVERY DIRECTION



The meter-long hexagonal modules are easily connected by hand using a series of interlocking tabs that allow for **limitless omnidirectional installation**.


Gli elementi esagonali di un metro quadro, tramite un semplicissimo sistema di connessioni eseguibili a mano, si uniscono gli uni agli altri **espandendosi in ogni direzione**.

## PERSONALIZED SPOTLIGHTS




The lighting system consists of **bi-directional suspended spotlights** that can be lowered below the decorative module, passing through the holes in the composition, or raised above the structure. If compositional needs require it, the system offers **directional ceiling spotlights**.

Il sistema luminoso è composto da **faretto bidirezionali sospesi** che possono essere calati al di sotto del modulo decorativo, passando tramite i fori della composizione, o sollevati al di sopra della struttura. Se le necessità compositive lo richiedono il sistema offre **faretto direzionabili da soffitto**.




## ADJUSTABLE HEIGHT



Nuvem's height can be adjusted using the 6 meter cable, and once suspended, the design can be "molded" using the **push and pull system** located directly beneath each module. The lamp collapses or tenses when the wires are pushed (released) or pulled, giving the ceiling a fluctuating feeling.

Oltre alla regolazione dei cavi fino a 6 metri, Nuvem dà la possibilità di modulare il design dell'oggetto, una volta sospeso, tramite il **sistema "push and pull"** posto direttamente al di sotto del modulo decorativo. Tirando o rilasciando i singoli cavi, la lampada si anima – colllassando o stirandosi – per dare forma a un "soffitto" fluttuante.




## FROM A LAMP TO A VERTICAL DECORATION

Nuvem goes beyond traditional illumination, with agile anatomy that allows it to transform the **architectural elements of a space**, running across the ceiling and moving down the walls, creating an infinite sky.

Nuvem va oltre la semplice illuminazione tradizionale: l'agilità della sua anatomia le permette di **enfatizzare gli elementi architettonici** trasformandosi da "soffitto" a decoro, calando sulle pareti per eliminare ogni confine tra cielo e terra della stanza.

## NUVEM MODULAR SYSTEM INSTALLATION

technical details p. 341



From top clockwise/ Dall'alto in senso orario: **Max Mariola Restaurant** - Milan, Italy; **Solidani Salon** - Rome, Italy; **Mariano Di Vaio NowHow Headquarters**, Perugia Ph. DiCarlo - Italy; **Boutique Testoni** - Milan, Italy - MAPA Architetti Associati.

**Bar Enerpac HQ**, KLM Architekten - Hamburg , Germany; **Adi Design Museum Office** - Milan, Italy. Ph T. Pagani; **Tri Vijeca Restaurant** Kai Studio, Ivana Kapetanovic, Podgorica - Montenegro. Ph. Kapetanovic.

# NUVEM

OUTDOOR MODULAR SYSTEM  
BY MIGUEL ARRUDA



Nuvem Outdoor evolves into something more: a wall decoration, a technological ivy, a shading system, a waterproof lighting solution — **something unprecedented and ever-changing**.

Nuvem Outdoor è una decorazione parietale, un'edera tecnologica, un sistema ombreggiante, un sistema luminoso impermeabile, **qualcosa che prima non c'era e che non è mai uguale**.

UNIQUE  
MO  
DU  
LAR  
SYSTEM

OUTDOOR



Installation of 75 Nuvem Outdoor modules at Slamp's HQ in Pomezia (Rome).  
Installazione di 75 moduli Nuvem Outdoor nella sede produttiva di Slamp, Pomezia (Roma)


technical details p. 342




## LIGHT UNIT SYSTEM

The lighting system of Nuvem Outdoor is designed to seamlessly integrate into the composition, with each luminous segment connecting to the others, providing the Light Unit with the **necessary flexibility to adapt to the versatility of the V0 polycarbonate module**. The units can be easily installed using dedicated fasteners that ensure secure attachment. Multiple Light Units can be connected to a single electrical point thanks to the branching system, optimizing installation efficiency.

Il sistema luminoso di Nuvem Outdoor ha una forma che permette di fondersi perfettamente con la composizione, ogni segmento luminoso si collega agli altri, offrendo alla Light Unit la **flessibilità necessaria per adattarsi alla versatilità del modulo in policarbonato V0**. Le unità possono essere facilmente installate tramite degli agganci che ne assicurano il fissaggio. Possono essere collegate più unità luminose con un solo punto elettrico grazie al sistema di derivazione.



one segment of the Light Unit  
un segmento luminoso dell'unità di luce




# INFINITE EXTENSIONS IN EVERY DIRECTION

The one-square meter hexagonal elements, (96 x 103,5 x h 6 cm) are **connected through a simple system** that allows free expansion in every direction. The connection can be manually handled with the “**clipper**” tool, which allows the modules to be securely fastened together. If necessary, the clips can be removed in order to modify the connections between modules.

Nuvem Outdoor modules are made of **V0 polycarbonate**, classified according to the UL 94 standard, which evaluates the behavior of plastic materials in case of fire. The V0 rating represents the highest level of flame resistance in the Vertical Burning (V) category. A V0-certified material is self-extinguishing and safe for high fire-resistance applications, making it ideal for the lighting sector.

Gli elementi esagonali di un metro quadro (dimensioni: 96 x 103,5 x h 6cm) si uniscono **tramite un sistema di connessioni**, permettendo un'espansione libera in tutte le direzioni. Il **sistema di aggancio** è eseguibile a mano grazie allo **strumento “clipper”** che permette di fissare saldamente i moduli tra loro. All'occorrenza le clip possono essere rimosse per un'installazione flessibile e modificabile senza interventi complessi.

I moduli Nuvem Outdoor sono realizzati in **policarbonato V0**, classificato secondo la normativa UL 94, che valuta il comportamento dei materiali plastici in caso di incendio. La sigla V0 indica il livello più alto di resistenza alla fiamma nella categoria Vertical Burning (V). Un materiale con certificazione V0 è autoestinguente e sicuro per applicazioni ad alta resistenza al fuoco, ideale per il settore di illuminazione.




technical details p. 342

## SPOT LIGHT SYSTEM

The **lighting system with Spot**, available for Nuvem Outdoor, consists of integrated 4.2W LED light units that can be added according to the project needs in different points of the composition/individual modules. **Up to 6 Light Units can be connected to a single electrical point**, thanks to a junction light case that allows wires to converge in one location. The cables run discreetly and invisibly across the modules and can be fixed securely in place thanks to wire clamps.

Il **sistema luminoso con Spot** disponibile per Nuvem Outdoor è composto da **unità luminose a LED integrato** da 4.2W posizionabili in base alle esigenze luminose del progetto in più punti della composizione o del singolo modulo. Possono essere collegate **fino a 6 unità luminose con un solo punto elettrico** grazie al sistema di derivazione che permette ai cavi di convergere in un unico punto e correre sui moduli in modo discreto e invisibile grazie a degli appositi fermacavi.

Single SPOT Light Unit  
4.2W - 220~230Vac/50Hz  
500 Lumen - 3000 Kelvin  
IP65 - Bidirectional LED  
(110V version available).




## VISUAL IMPACT ON THE SURFACES

The **ceiling anchoring system** is practical and allows for height adjustment of the suspension cables, ensuring maximum configuration flexibility by adjusting each module individually.


The **wall anchoring system**, thanks to the use of "spacers," offers designers complete freedom in creating decorative Nuvem surfaces. By fixing the modules at different distances from the wall, it's possible to **play with the depth and movement of the composition**.

Il **sistema di ancoraggio al soffitto** è pratico e consente la regolazione delle altezze dei cavi di appendimento garantendo la massima flessibilità della configurazione agendo modulo per modulo.

Il sistema di **ancoraggio al muro** grazie all'utilizzo degli accessori "**distanziatori**" offre al progettista libertà nella creazione di superfici decorative Nuvem. Fissando i moduli a diverse distanze dalla parete, **permette di giocare con la profondità e il movimento della composizione**.



### WALL ANCHORING



## PROJECT CONFIGURATION SERVICE



Slamp offers a consulting and design service for the Nuvem system, **guiding clients in the configuration process**, which is fully tailored to the project's characteristics and the specific needs of the space, thanks to the system's standard and customizable accessories.

Slamp offre un servizio di consulenza e progettazione per il sistema Nuvem, **guidando i clienti nella configurazione** che sarà completamente adattata alle caratteristiche del progetto e alle esigenze specifiche dello spazio grazie agli accessori standard e customizzabili del sistema.



Dresden Museum of Military History ©Hufton+Crow

SIGNATURE COLLECTIONS



“LIGHT IS PURE LOVE”



DANIEL  
**LIBESKIND**

# CORDOBA

BY DANIEL LIBESKIND



**Cordoba Suspension**

Lighting / Illuminazione: LED 130W - 85~265 Vac/24 Vdc - 15.000 Lumen 3000 Kelvin - CRI > 90

Size / Dimensioni: 76 x 104 x h.55 cm - 30" x 41" x h. 21"



technical details p. 328

## URBAN POETRY BETWEEN ARCHITECTURE AND LIGHT


Cordoba is a lamp inspired by **architectural deconstructivism**. In perfect harmony with Daniel Libeskind's famous architecture, Cordoba encapsulates the architect's trademarks: broken lines and fragmented geometries that express his unique design philosophy.

A **mathematical algorithm** combines two dimensional technopolymer sheets into a suspension that harmoniously glows. The light sculpture is **sold fully assembled** thanks to a meticulous study of the packaging and the electrical connection is simplified as much as possible by the use of **connectors**.


Cordoba è una lampada ispirata al **decostruttivismo architettonico**.

In perfetta sintonia con le celebri architetture di Daniel Libeskind, Cordoba racchiude i tratti distintivi dell'architetto: linee spezzate e geometrie frammentate che esprimono la sua unica filosofia progettuale.

Lastre bidimensionali di tecnopoliimeri prendono vita da un **algoritmo matematico** e diffondono la luce in maniera armonica. La scultura luminosa viene **venduta allestita** grazie ad uno studio meticoloso del packaging e la connessione elettrica è semplificata al massimo grazie all'uso di **connettori**.



electrical  
connectors



A HANDCRAFTED  
ALGO  
RITHM

Production of LaVie design by Adriano Rachele for Slamp - Ph Pedro Sadio



“LIGHT GIVES VISIBLE SPIRIT TO OBJECTS”

100




ADRIANO  
**RACHELE**

A. Rachele portrait - Ph Noemi Patriarca

101

# BANG


BY ADRIANO RACHELE



NEW OUTDOOR COLLECTION  
BANG STEP LIGHT

Bang Large Corten



**Bang Step Light**

Lighting/Illuminazione: Large 2X 4.2W - 220~230Vac/50Hz - 500 Lumen - 3000 Kelvin;  
Small 4.2W - 220~230Vac/50Hz 500 Lumen - 3000 Kelvin - IP65 - Bidirectional Integrated LED  
(110V version available).






LIGHT GRAY



CORTEN



ANTHRAHITE

technical details p. 323




ANTHRACTITE



CORTEN



LIGHT GRAY



## APPLIQUE OR STEP LIGHT? YOU DECIDE!

Bang collection is made of **cataphoresis treated and powder-coated steel**, ensuring optimal resistance to all weather conditions and the light diffusers are made of safe opaline V0 polycarbonate, branded with Slamp logo.

The **small version** can be wall-mounted or installed as step light thanks to the pentagonal support, easily fixed with screws.

The lighting system is based on a **bi-directional LED board** operating at a voltage of **220-230 Vac (110V available)**, with **IP65** protection.

Bang è realizzata in acciaio trattato con **cataforesi e verniciato a polvere**, che ne garantisce una resistenza ottimale a tutte le condizioni climatiche. I diffusori sono realizzati in policarbonato opalino V0 e brandizzati con il logo Slamp.

La versione **small** è installabile sia per utilizzo a parete che come segnapassi, grazie al pentagono di supporto facilmente fissabile con delle viti.

Il sistema di illuminazione è basato su una **scheda LED bidirezionale** funzionante a una tensione di **220-230 Vac (disponibile 110V)** e garantisce un grado di protezione **IP65**.

technical details p. 323



Bang Step Light / Applique Small Light Gray

Production of LaFleur design by Marc Sadler for Stamp - Ph Pedro Sadio



BEYOND THE EDGE OF THE ORDINARY



MARC  
SADLER

Portrait of Marc Sadler - Ph. Pedro Sadio

# TULIP

BY MARC SADLER





Free Standing composition of 154 blooms.  
Composizione Free Standing con 154 boccioli



technical details p. 346



Ø5 cm x h. 40 cm.  
Each bloom is unique and hand-crafted.  
Ogni bocciolo è unico e realizzato a mano.



## MODULAR IMMERSIVE BACKDROP

Available in multiples of 14 to create striking installations, the Free Standing version is anchored to the ceiling with small brass fixtures. Slamp provides templates to simplify installation and a design service for larger setups.


Like the Plug & Play versions with a round or linear canopy of 7 or 14 tulips, the Free Standing version retains the same aesthetic and technical features as the canopy solutions, such as connection to a single electrical outlet and linking multiple light points with the thin twisted copper wire. The height of the steel cables is adjustable using the Push-Pull system, by loosening and tightening the clamp to secure the cable.

Disponibile in multipli di 14 per creare scenografiche installazioni, la versione Free Standing si ancora al soffitto tramite piccoli fissaggi in ottone. Slamp fornisce dimes per semplificare l'installazione e servizio di progettazione per grandi installazioni.

Come per le versioni Plug & Play con rosone tondo o lineare di 7 o 14 tulipani, anche la Free Standing mantiene le stesse caratteristiche estetiche e tecniche delle soluzioni con rosone, come la connessione a un unico attacco elettrico e il concatenamento dei vari punti luce tramite il sottile cavo di rame intrecciato. L'altezza dei cavi in acciaio è regolabile con il sistema Push-Pull, svitando e serrando il morsetto per fissare il cavo.



ROUND  
available 7 or 14 blooms



LINEAR  
available 7 or 14 blooms



Composition of 147 blooms.  
Composizione di 147 boccioli.

technical details p. 346



Tulip 14 Linear

The **Linear** and **Round** canopies feature Designer Marc Sadler's predetermined cascading compositions powered by Plug and Play solutions.

Nelle disposizioni **Linear** e **Round** le cascate di tulipani sono predeterminate dal Designer Marc Sadler per una soluzione allestitiva Plug & Play.



Tulip 14 Round

technical details p. 346



**Tulip Battery**

Battery at max. intensity around 6 hours duration, at min. intensity around 60 hours duration.  
Batteria al massimo dell'intensità durata di 6 ore, al minimo dell'intensità durata di 60 ore.





**Brightness intensity can be regulated** using the soft touch dimmer system.  
**Regolazione intensità luminosa** tramite sistema touch a sfioramento.



A **cold application of gold foil** creates a unique texture that printing or paints cannot replicate.  
La **lamina dorata viene applicata a freddo** sul materiale creando un effetto materico irriproducibile con vernici o stampe.

# CLIZIA

BY ADRIANO RACHELE

technical details p. 327




SUSPENSION

WALL LAMP

CEILING LAMP

TABLE LAMP

FLOOR LAMP



PLAY VIDEO

Cristalflex® petals are covered in **gold foil** using a cold-coating process, and the crackled texture lets light shine through, an effect that other types of paint or printing cannot replicate.

La **lamina dorata** viene applicata a freddo su ogni singolo petalo in Cristalflex®, la texture craquelé lascia passare la luce e crea un effetto materico, impossibile da riprodurre con vernici o stampe.



The **red hanging** wire gives a pop touch, but for those looking for something minimal, a **transparent one is available too**.  
Il **cavo rosso**, che aggiunge al prodotto un tocco pop, può essere richiesto **anche trasparente**.





**Clizia Suspension (all the finishes)** Lighting / Illuminazione:

**Ø130:** 15 x 12W E27/E26 - **Large:** 4 x 12W E27/E26 - **Medium:** 2 x 12W E27/E26 LED Filament Bulbs



MAMA NON MAMA - WHITE



MAMA NON MAMA - GOLD



MAMA NON MAMA - BLACK



PIXEL



FUMÉ




WHITE



ORANGE

technical details p. 327



Clizia Suspension Medium - Orange

## WHITE NUANCES OF CLIZIA

technical details p. 327



### FUMÉ

Created from a mix of transparent Lentiflex® Prismatic and Cristalflex® modules with a light smoky hue, this Clizia finish with an overall "taupe" tone can be warmed slightly by using bulbs with a warmer color temperature.

Nasce da un mix di moduli in Lentiflex® Prismatico trasparente e Cristalflex® dalla leggera tonalità fumè, questa finitura Clizia dal tono complessivo "tortora" può essere leggermente scaldato utilizzando delle lampadine con una temperatura colore più calda.



### WHITE

Made of Opalflex®, a material with the ability to diffuse light evenly, it has an opaque white print on the edges of the petals that creates a "chiaroscuro" play with light. The final effect is soft and particularly brilliant.


Realizzata in Opalflex®, materiale dalla capacità di diffondere la luce in modo omogeneo, ha una stampa bianca coprente sui bordi dei petali che crea un gioco di chiaroscuri con la luce. L'effetto finale è morbido e particolarmente brillante.



### MAMA NON MAMA WHITE

Made of Cristalflex®, brilliant and transparent like crystal but unbreakable and light. Printed with an opaque white floral pattern whose petals, overlapping, create a soft natural shape that is bright and light. Existing decoration also in black and craquelé gold foil version.

Realizzata in Cristalflex®, trasparente, infrangibile e leggero. Decorato con un motivo floreale bianco coprente, i cui petali sovrapposti creano una forma morbida e luminosa. Disponibile anche in nero e con lamina dorata.



### PIXEL

A hi-tech white decoration spreads over the lush volume with naturalistic features of the glass-effect but totally unbreakable Cristalflex® diffuser.

Una decorazione hi-tech bianca si diffonde sul volume rigoglioso con tratti naturalistici del diffusore in Cristalflex® effetto vetro ma totalmente infrangibile.

technical details p. 327




**Clizia Ceiling/Wall**

Lighting / Illuminazione:

**Large:** 3 x 12W E26/E27 - **Medium:** 2 x 12W E26/E27 - **Mini:** 2 x 6W E12/E14 LED Filament Bulbs.

Clizia Ceiling/Wall Large Mama non Mama White

## BENEFITS OF MAGNETIC HANGING SYSTEM



All versions of Clizia collection (Ceiling, Suspension and Table with cable) are equipped with a **magnetic system**, an innovative system that facilitates installation and cleaning of the petals: the decoration detaches from the light source with a simple click.

Thanks to the magnetic attachment, the installation is quick and safe and not only **simplifies the maintenance** of the product in **domestic contexts**, but also proves extremely advantageous for use in **public environments** by simplifying maintenance and cleaning, ideal for ensuring order in high-traffic environments such as offices, hotels and restaurants.

Tutte le versioni della collezione Clizia (Plafoniera, Sospensione e Tavolo con cavo) sono dotate di **attacco magnetico**, un sistema innovativo che facilita l'installazione e la pulizia dei petali: il decoro si stacca dalla fonte luminosa con un semplice click.

Grazie all'attacco magnetico, l'installazione è rapida e sicura e non solo **semplifica la gestione del prodotto in contesti domestici**, ma si rivela estremamente vantaggiosa anche per l'utilizzo **in ambienti pubblici semplificando la manutenzione** e pulizia ideale per garantire ordine in ambienti ad alta frequentazione come uffici, hotel e ristoranti.



Clizia Ceiling/Wall Medium - Mama non Mama Gold



Clizia Ceiling/Wall Medium - Mama non Mama Gold



**Clizia Applique**

Size / Dimensione: 32 x 15 x h. 28 cm  
(12-1/2" x 5-3/4" x h. 9-3/4")

Lighting/Illuminazione: 2 x 6W LED  
Filament Bulbs E12/E14.  
Available/Disponibile in: white, gold  
and black Mama non Mama





**Clizia Battery**

Battery at max. intensity around 6 hours duration, at min. intensity around 60 hours duration.  
Batteria al massimo dell'intensità durata di 6 ore, al minimo dell'intensità durata di 60 ore.

Pictured/In foto: Clizia Battery - Fumè.



Perfect harmony: suspension and battery table lamp from the same collection, for a **coordinated** and elegant design.  
Armonia perfetta: sospensione e lampada da tavolo ricaricabile della stessa collezione, per un design **coordinato** ed elegante. Pictured/In foto: Clizia Battery Mama non Mama - White.

technical details p. 328



Clizia Battery Mama non Mama Gold - Light base



TOUCH  
DIMMER

SOFT TOUCH DIMMER SYSTEM



Clizia Battery Mama non Mama Gold - Dark base

**100%**  
**SUITABLE FOR**  
**OUTDOOR**  
**SPACES**



Clizia Table White

A comfortable electrical wire of about 150 cm (58").  
Comodo cavo elettrico con interruttore lungo circa 150 cm.

**Clizia Table** is available in Fumè and in Lentiflex® with printing effect: White and Orange, all with light gray base.

**Clizia Table** con diffusore in Lentiflex® è disponibile in Fumè e con stampa in Bianco e Arancione sempre con base grigio chiaro.



**Clizia Table Mama non Mama** is made of Transpren Cristalflex® with black or white print and gold foil.

La **Clizia tavolo Mama non Mama** è realizzata in Cristalflex® trasparente con stampa bianco o nera oppure con lamida dorata.





“LIGHT INFLUENCES INSTINCTUAL EMOTIONS”



ELISA GARGAN  
GIOVANNONI

# MODULA

BY ELISA GIOVANNONI



146



147



A **seamless line of light runs along the spine** of the floor lamp, complementing the diffuser's lighting effect.  
Una linea di luce omogenea corre lungo tutta la **dorsale** della piantana che si aggiunge all'effetto di luce del diffusore.




The dimmable source is housed in a Lentiflex® diffusor.  
La fonte dimmerabile è alloggiata in un diffusore in Lentiflex®.

**Modula Floor**  
Lighting / Illuminazione:  
LED: 70W -100-240Vac  
24Vdc -11.810 Lumen  
3000 Kelvin - Dimmable

## COMPLIANT WITH THE UNI EN 12464-1:2011 STANDARD



Examples of reflection's glare



Photometric Polar Diagram of Modula

Modula is designed to fully comply with the **UNI EN 12464-1:2011** standard, which defines the requirements for indoor lighting to ensure **visual comfort, safety and efficiency**. This standard establishes precise parameters such as illuminance levels, light distribution, glare, colour rendering and colour temperature, ensuring that the lighting is adapted to the specific needs of each space.

By complying with this standard, the lamp offers excellent performance for workplaces, public or private spaces, **creating optimal lighting that promotes visual well-being and energy efficiency**. Choosing a UNI EN 12464-1:2011 compliant product means investing in quality, safety and attention to people's comfort.

Modula è progettata per rispettare pienamente la normativa **UNI EN 12464-1:2011**, che definisce i requisiti per l'illuminazione di ambienti interni al fine di garantire **comfort visivo, sicurezza ed efficienza**. Questo standard stabilisce parametri precisi come i livelli di illuminamento, la distribuzione della luce, l'abbagliamento, la resa cromatica e la temperatura colore, assicurando che l'illuminazione sia adeguata alle esigenze specifiche di ogni spazio.

Grazie alla conformità a questa normativa, la lampada offre **prestazioni eccellenti per ambienti di lavoro, spazi pubblici o privati, creando un'illuminazione ottimale che promuove il benessere visivo e l'efficienza energetica**. Scegliere un prodotto conforme alla UNI EN 12464-1:2011 significa investire in qualità, sicurezza e attenzione per il comfort delle persone.





**Modula Suspension** Lighting / Illuminazione:  
**Single:** LED 35W - 100~240Vac/24Vdc - 5.905 Lumen - 3000 Kelvin.  
**Double:** LED 70W - 100~240Vac/24Vdc - 11.810 Lumen - 3000 Kelvin.

Standard dimming system Triac Trailing Edge (Dali and Casambi upon request).



Production of Odeon design by Lorenza Bozzoli for Stamp - Ph Pedro Sadio



"LIGHT MAKES A COLOURFUL WORLD"



LORENZA  
BOZZOLI

# LA LOLLONA

BY LORENZA BOZZOLI

technical details p. 337



**La Lollona** arrives in wooden packaging, ready to be installed and extraordinary to admire.

**La Lollona** arriva in un packaging di legno, pronta per l'installazione e straordinaria da ammirare.



technical details p. 337



Ø156cm

The suspension's **color and size can be customized** by request to fit large scale installations.

This page: a custom version of 3 different rings, white finish: Ø156 cm x h. 85 cm.


**Customizzabile su richiesta - sia nei colori che nelle taglie** - per progetti di larga scala.

In questa pagina: una versione con 3 differenti livelli con finitura white di Ø156 cm x h. 85 cm.



La Lollona 5 White


WEIGHT  
LESS  
ABUNDANCE



This page: a **custom version** of La Lollo gradient of Ø160 cm x h. 35 cm.  
In questa pagina; una versione custom della La Lollo gradient Ø160 cm x h. 35 cm.  
180 W - 100~240Vac/ 24Vdc 20.636 Lumen - 2700 Kelvin -Dimmable.



A **custom version** of Ø130 x h. 210 cm.  
Una versione personalizzata di 130 cm di diametro e 210 cm di altezza.  
630W - 110~240Vac/24Vdc - 73.250 Lumen - 2700 Kelvin,  
dimmable with: PWM, 1-10 or Potentiometer.



## TAILOR-MADE PROJECT REALIZATIONS

Our in-house department of interior designers and planners **creates customized lamps**, respecting the designers' design and vision. We also offer a **wide range of versatile catalogue products**, with installations that **can be customized in terms of effect and technical details**, adaptable to customer's requirements and budgets.

The **Lollo Lightfall** is a fully customised solution for creating a cascade of light. You can choose the number of modules, colour and shape of the installation.

Il nostro dipartimento interno di interior designer e progettisti **realizza lampade su misura**, rispettando il disegno e la visione dei progettisti. Offriamo anche un'ampia gamma di **prodotti a catalogo versatili**, con **installazioni personalizzabili per effetto e illuminotecnica**, adattabili alle richieste e ai budget dei clienti.

**La Lollo Lightfall** è una soluzione completamente personalizzata per realizzare una cascata di luce. È possibile scegliere il numero di moduli, il colore e la forma dell'installazione.

Stairway project for 4 buildings in Milan, Italy.



**La Lollo Lightfall** custom project, lighting info for every single cilinder.

Progetto custom La Lollo Lightfall, potenza luminosa per ogni singolo cilindro.

20W - 100~240 Vac/24 Vdc - 3.570 Lumen - 3.000 Kelvin -CRI >90, Integrated LED.

# LA LOLLO

BY LORENZA BOZZOLI



Ø80cm



SUSPENSION



WALL LAMP



CEILING LAMP



TABLE LAMP



FLOOR LAMP

technical details p. 336



Ø48cm

technical details p. 336



La Lollo Large White

166



167



142cm

La Lollo Linear 140 Pewter-White

technical details p. 336



La Lollo Applique Gradient

#### La Lollo Applique

Differently from integrated LED suspensions, La Lollo wall lamp and La Lollo Floor use LED filament bulbs  
A differenza delle sospensioni a LED integrato, La Lollo applique e La Lollo Floor utilizzano lampadine LED Filament.

technical details p. 336



La Lollo Applique Gold



La Lollo Applique Gold at Angie's Restaurant, Rome - Italy.



GOLD



GRADIENT



PEWTER/WHITE



WHITE



# ODEON

BY LORENZA BOZZOLI



technical details p. 344



#### Odeon Ceiling

Lighting / Illuminazione: Odeon 100: 12 x12W E27/E26 LED Filament bulbs + 1 x 11W E27/E26 Spot LED, PAR 30  
Odeon 65: 6 x12W E27/E26 LED Filament bulbs + 1 x 11W E27/E26 Spot LED, PAR 30

# HUGO

BY SLAMP CREATIVE TEAM



SUSPENSION

WALL LAMP


CEILING LAMP

TABLE LAMP

FLOOR LAMP


technical details p. 334

Pictured: a composition of 300 modules.  
Composizione di 300 moduli.




Hugo is available in **horizontal modules** with 2 hanging points and **vertical modules** with 1 coaxial cable.  
Hugo è disponibile in **moduli orizzontali** con 2 punti di appendimento e **moduli verticali** con unico cavo coassiale.

## COMPLIANT WITH THE UNI EN 12464-1:2011 STANDARD



Examples of reflection's glare



Photometric Polar Diagram of Modula

Hugo is designed to fully comply with the **UNI EN 12464-1:2011** standard, which defines the requirements for indoor lighting to ensure **visual comfort, safety and efficiency**. This standard establishes precise parameters such as illuminance levels, light distribution, glare, colour rendering and colour temperature, ensuring that the lighting is adapted to the specific needs of each space.

By complying with this standard, the lamp offers excellent performance for workplaces, public or private spaces, **creating optimal lighting that promotes visual well-being and energy efficiency**. Choosing a UNI EN 12464-1:2011 compliant product means investing in quality, safety and attention to people's comfort.

Hugo è progettata per rispettare pienamente la normativa **UNI EN 12464-1:2011**, che definisce i requisiti per l'illuminazione di ambienti interni al fine di garantire **comfort visivo, sicurezza ed efficienza**. Questo standard stabilisce parametri precisi come i livelli di illuminamento, la distribuzione della luce, l'abbagliamento, la resa cromatica e la temperatura colore, assicurando che l'illuminazione sia adeguata alle esigenze specifiche di ogni spazio.

Grazie alla conformità a questa normativa, la lampada offre **prestazioni eccellenti per ambienti di lavoro, spazi pubblici o privati, creando un'illuminazione ottimale che promuove il benessere visivo e l'efficienza energetica**. Scegliere un prodotto conforme alla UNI EN 12464-1:2011 significa investire in qualità, sicurezza e attenzione per il comfort delle persone.

technical details p. 334





Winner of the Red Dot Product Design Award, **Hugo Architectural** is a technical-decorative suspension lighting system that allows you to **connect 2 or 3 Hugo modules with a single electrical connection**.

Vincitore del Red Dot Product Design Award, **Hugo Architectural** è un sistema di illuminazione tecnico-decorativa a sospensione che permette di **connettere 2 o 3 moduli Hugo con un solo attacco elettrico**.



Slamp studies the inclination of Lentiflex® sheets, which interact with light to create ever-changing effects. In the Hugo collection, this light diffusion evokes the fluidity of a waterfall.

Slamp studia l'inclinazione delle lastre di Lentiflex® che, interagendo con la luce, generano effetti sempre diversi. Nella collezione Hugo, questa diffusione luminosa evoca la fluidità di una cascata d'acqua.

technical details p. 334



h.207cm

**Hugo Floor**

Size / Dimensioni: 9 x h. 207 cm, base Ø32 cm  
3-1/2" x h. 80-3/4", base Ø12-1/2"



The design and bend of the floor lamp were inspired by the outreached hands of Michelangelo's "Last Judgement" in the Sistine Chapel. The light touch dimming system is ergonomically placed, and blinks when the lamp is at minimum and maximum brightness.

L'inclinazione e il design della lampada da terra sono ispirati al tocco delle mani dei protagonisti del "Giudizio Universale", il dipinto di Michelangelo nella Cappella Sistina. Il sistema di dimmerazione a sfioramento, collocato in posizione ergonomica, lampeggia quando raggiunge il punto massimo e minimo d'intensità luminosa.

# LAFLEUR

BY MARC SADLER

technical details p. 338




186



187





#### La Fleur Battery

Battery: at max. intensity around 6.5 hours duration, at min. intensity around 60 hours duration.  
Batteria: Al massimo dell'intensità durata di 6.5 ore, al minimo dell'intensità 60 ore.



LaFleur Velvet detail



The 2019 Vendemmia di Roma event, a celebration of the fusion between fashion and wine.

Evento La Vendemmia di Roma 2019, celebrazione del connubio tra moda e vino.



La Fleur Applique Prisma

**La Fleur Applique**

Lighting/Illuminazione: 1 X 3W G4 LED Filament Bulb 100~220 Vac/12Vdc - 450 Lumen - 3.000 Kelvin - Dimmable.




technical details p. 338

La Fleur Applique Velvet

# ÉTOILE

AND LA BELLE ÉTOILE  
BY ADRIANO RACHELE



La Belle Étoile  
Suspension Large  
Ø90cm



SUSPENSION

WALL LAMP

CEILING LAMP

TABLE LAMP

FLOOR LAMP



technical details p. 330

Ø73cm



**Étoile Suspension - Prisma**


Lighting / Illuminazione: Large and Medium 21W - 100–240 Vac/35-50 Vdc - 2.830 Lumen, 2700 K, CRI 90, Dimmable.  
110V versione available. Crystal counter-balance "drop" included. Contrappeso in cristallo incluso.





La Belle Étoile Suspension - White

MAGNETIC  
LED SOURCE



## THE LED SOURCE CAN BE **EASILY** AND **QUICKLY** CHANGED

Light, dynamic, and as elegant as a twirling ballerina. La Belle Étoile is handmade by Slamp's artisans, experts in both manual art and technology. The ad hoc LED source can be easily changed thanks to Slamp's **patented magnetic system**.

Dinamica, leggera ed elegante come una ballerina dai volteggi aggraziati. La Belle Étoile è realizzata a mano dalle Sarte della Luce di Slamp, unendo artigianalità e tecnologia: il circuito a LED realizzato ad hoc è sostituibile tramite il **sistema magnetico brevettato da Slamp**.



The finish is a non-toxic silk-screen print on Cristalflex®.

Il decoro è ottenuto mediante stampa serigrafica su Cristalflex® trasparente utilizzando inchiostri atossici.

198



technical details p. 330

199

technical details p. 330



**La Belle / Étoile Ceiling/Wall**  
Lighting/Illuminazione:  
LED 15W - 220~240 Vac /55 Vdc  
2.150 Lumen 2700 Kelvin (warm white)

# HANAMI

BY ADRIANO RACHELE

technical details p. 333



Hanami Suspension Large  
96 cm



SUSPENSION WALL LAMP CEILING LAMP TABLE LAMP FLOOR LAMP



Flowers folded by hand, each made from Lentiflex®, a noble, **unbreakable material** that shines like a precious stone.  
Fiori plissati a mano in Lentiflex®, materiale nobile e **infrangibile** con riflessi di un diamante.



technical details p. 333



**Hanami Collection**


**Suspension Large** 10 X 5W G9 LED Bulbs | 96 x 60 x h.26 cm [37-3/4" x 23-1/2" x h.10-1/4"]

**Suspension Small** 5 X 5W G9 LED Bulbs | 53 x 35 x h.25 cm [20-3/4" x 13-3/4" x h.9-3/4"]

**Ceiling/Wall** 7 x 5W G9 LED Bulbs | 65 x 21 x h. 65 cm [25-1/2" x 8-1/4" x h. 25-1/2"]

# VELI

BY ADRIANO RACHELE



206



Veli Ceiling/Wall Large

## FOLIAGE

technical details p. 350



207

technical details p. 348



**Veli Ceiling/Wall Foliage**

Lighting/Illuminazione: Large 3X12W E26/E27; Medium 2X12W E26/E27; Mini 2X6W E12/E14 LED Filment Bulbs




technical details p. 350



To have the product as neutral as in the photos (white), we suggest **3000 Kelvin bulbs**.  
Per una resa del prodotto come in foto, con un bianco neutro, consigliamo lampadine di temperatura **3000 Kelvin**.  
Pictured Veli Ceiling/Wall Medium - Aurea



The craquelé gold leaf details lend richness to the softness of the white texture of the diffusor.  
I dettagli in foglia d'oro craquelé conferiscono ricchezza alla morbida texture bianca del diffusore.



Pictured Veli Ceiling/Wall  
Large - Aurea

technical details p. 348



AUREA  
THE LEGACY OF A  
MASTER  
PIECE

## FOCUS


# WHITE NUANCES OF VELI



## COUTURE

Its textile texture-inspired finish makes it a perfect solution for giving rooms a soft, tone-on-tone finish. The texture is screen-printed in white on the diffusing Opalflex® material.

La sua finitura ispirata alle texture tessili la rende una soluzione perfetta per conferire agli ambienti una finitura morbida e tono su tono. La trama è in stampa serigrafica in bianco sul materiale Opalflex® diffondente.



## WHITE

Made of Opalflex®, a material with the ability to diffuse light evenly, it has an opaque white print on the edges of the veils that creates a play of chiaroscuro with the light. The final effect is soft and particularly brilliant.


Realizzata in Opalflex®, materiale dalla capacità di diffondere la luce in modo omogeneo, ha una stampa bianca coprente sui bordi dei veli che crea un gioco di chiaroscuri con la luce. L'effetto finale è morbido e particolarmente brillante.



## FOLIAGE

Veli's iconic shape is enhanced by elements inspired by the perfection of the natural world. Made of diffusing Opalflex®, each petal features a matte white print created with non-toxic paints, safe for any indoor environment.

L'iconica forma di Veli è arricchita da elementi che ricordano la perfezione del mondo naturale. Realizzata in Opalflex® diffondente, ogni petalo ha una stampa bianca opaca realizzata con vernici atossiche e sicure per ogni ambiente indoor.



## PRISMA

The transparent surface appears, when viewed under a microscope, to consist of many prisms capable of capturing light and directing it to a precise point for an iridescent prismatic effect reminiscent of ice crystals struck by light.

La superficie trasparente appare, a una visione al microscopio, formata da tanti prismi capaci di catturare la luce e direzionarla verso un preciso punto per un effetto prismatico cangiante che ricorda i cristalli di ghiaccio colpiti dalla luce.



## GOLD AND COPPER

Slamp's metallized materials are obtained by vaporizing an aluminum rod inside a hyperbaric chamber. During the process, **the degree of transparency of the metallization can be determined** to allow more or less light to pass through the surface.

I materiali metallizzati di Slamp sono ottenuti tramite la vaporizzazione in camera iperbarica di una barretta di alluminio. Nel processo **può essere deciso il grado di trasparenza della metallizzazione** per lasciar trasparire più o meno luce dalla superficie.



## LIGHT BACKDROP SCENOGRAFIE DI LUCE

An **immersive light backdrop** created by mixing Veli Copper suspensions and ceiling lights.  
Una **scenografia di luce** realizzata mixando sospensioni e plafoniere Veli Copper.  
Erwin Restaurant, Moscow - Russia.

technical details p. 351




## VELI 7


Veli 7 is a scenographic suspension with a diameter of 130cm made of **7 elements joined together**.  
Veli 7 è una sospensione scenografica di 130cm di diametro composta da **7 elementi uniti tra loro**.



**Veli Table**  
Lighting/Illuminazione: 1X6W E14/E12 LED Filament Bulb



## BENEFITS OF MAGNETIC HANGING SYSTEM



All versions of Veli collection (Ceiling, Suspension and Table) are equipped with a **magnetic system**, an innovative system that facilitates installation and cleaning of the petals: the decoration detaches from the light source with a simple click.

Thanks to the magnetic attachment, the installation is quick and safe and not only **simplifies the maintenance** of the product in **domestic contexts**, but also proves extremely advantageous for use in **public environments** by simplifying maintenance and cleaning, ideal for ensuring order in high-traffic environments such as offices, hotels and restaurants.

Tutte le versioni della collezione Veli (Plafoniera, Sospensione e Tavolo) sono dotate di **attacco magnetico**, un sistema innovativo che facilita l'installazione e la pulizia dei petali: il decoro si stacca dalla fonte luminosa con un semplice click.

Grazie all'attacco magnetico, l'installazione è rapida e sicura e non solo **semplifica la gestione del prodotto in contesti domestici**, ma si rivela estremamente vantaggiosa anche per l'utilizzo **in ambienti pubblici semplificando la manutenzione** e pulizia ideale per garantire ordine in ambienti ad alta frequentazione come uffici, hotel e ristoranti.



reddot design award  
honourable mention 2012





Veli Suspension  
Medium Couture

Ø32cm



Veli Suspension Mini Couture

The Couture finish is available also in the Mini suspension version, measuring 32 x h 22 cm (12-1/2" x h 8-1/2").  
La finitura Couture è disponibile anche in versione Mini a sospensione 32 x h 22 cm (12-1/2" x h. 8-1/2")


# CEREMONY

AND LE GRAND CEREMONY  
BY BRUNO RAINALDI

technical details p. 324



Prisma finish/finitura



**Ceremony Suspension**  
Lighting/Illuminazione:  
4X12W E26/E27 LED Filament Bulbs  
+ 1 X 8W GU10 SPOT LED






LE GRAND  
Ø213cm

Le Grand Ceremony white detail.  
Dettaglio della finitura bianca di Le Grand Ceremony.

A lowered or false ceiling is necessary to connect the spotlight's electrical elements  
Controsoffitto o cielino necessario per collegamento elettrico degli spot



Twenty-one spotlights encircle a customizable iron ring (finishing to be determined per project), inserted in the lowered or false ceiling, illuminating the opulent Cristalflex® layers draped below.

21 faretti vengono installati in un contro soffitto seguendo la struttura in ferro circolare (finitura customizzabile in base alla scelta del cliente) ad illuminare gli opulenti drappi in Cristalflex®

Size/Dimensioni: Ø213 x h. 250 cm (Ø83" x h. 97-1/2")

# ACCORDÉON

BY  
MARC SADLER



228





The LED crown, in **2700 or 3000 Kelvin by choice**, reaches up to 5.900 Lumen and can be dimmed.  
La corolla di LED – **2700 o 3000 Kelvin in base alle proprie necessità** – raggiunge i 5900 Lumen ed è dimmerabile.




Accordéon Vertical Prisma



Accordéon Vertical

Multiple suspensions are a perfect fit for restaurant and bars

Disposta in multipli diventa la perfetta illuminazione per bar e ristoranti.



detail of Lentiflex® with gold foil  
dettaglio del Lentiflex® con lamina oro

**Accordéon Vertical**

Lighting/Illuminazione: 1 x 6W E14/E12 LED Filament bulb Ømax 5 cm (2").

technical details p. 318



**Accordéon Battery**

Battery at max. intensity around 6 hours duration, at min. intensity around 60 hours duration.  
Batteria: al massimo dell'intensità durata di 6 ore, al minimo dell'intensità durata di 60 ore.

234



235



What appears to be pleated, weightless fabric is actually undulating Lentiflex®, lit by a dimmable LED from within, resting on an anodized aluminum stem.

Quella che ricorda una fascia di tessuto impalpabile e plissettato è in realtà una struttura in Lentiflex® ondulato, illuminata dall'interno da una fonte luminosa LED dimmerabile e sorretta da un grazioso stelo in alluminio anodizzato.



**Size / Dimensione:**  
Ø13 x h. 32,7 cm - Ø5" x h. 12-3/4"

**Ligthing / Illuminazione:**  
1.3W dimmable - 150 Lumen  
2700 Kelvin - Rechargeable battery

## DUAL POSITION ILLUMINATION

The internal structure and clasp match the fluidity of the external plissé diffusor and prevent the accumulation of dust. The lamp has **dual switches, one for the shade and another for the base**. Both light sources can be used together and cast a uniform glow and a cotton-like silhouette. The table lamp's shade and sockets have magnets to facilitate cleaning and changing the bulbs.

La struttura interna e l'elemento di chiusura superiore delle lampada da tavolo sono sagomati per assecondare il movimento del plissé ed evitare il depositarsi della polvere. La lampada è dotata di doppia accensione, permettendo di **accendere il diffusore indipendentemente o contestualmente alla base**, che si illumina in modo uniforme ricreando la trama di un tessuto di cotone. Sia il diffusore che i portalampane sono dotati di attacco magnetico per agevolare pulizia e sostituzione delle lampadine.



  
**archiproducts**  
DESIGN AWARDS  
—  
WINNER 2020


2021 WINNER  
**EUROPEAN  
PRODUCT  
DESIGN  
AWARD**

**Accordéon Table**  
Size / Dimensione:  
Ø37 x h. 48 cm  
Ø14-1/2" x h. 18-3/4"




# FIORDLYS

BY PAOLO D'ARRIGO



technical details p. 331



Materials and finishing: Opalflex® with cold applied gold/silver foil (in the White version a soft and luminous screen-print takes the place of the metallic foils); Prismatic-ribbed Lentiflex®; diffusing light-gold Opalflex®.

Materiali e finiture: Opalflex® con lamina oro/argento applicata a freddo (nella versione White una stampa serigrafica morbida e luminosa prende il posto della lamina metallizzata); Lentiflex® prismatico effetto cannellato; Opalflex® diffondente dalla finitura leggermente dorata.

Fiordlys Linear Gold  
90cm



Fiordlys Suspension Linear

Lighting/Illuminazione: 30W - 170~240 Vac/24 Vdc - 3.500 Lumen - 2.700 Kelvin - Integrated LED. 110V available.  
Dimmable (110V-220V Standard) Triac Trailing Edge - alternative Dali, Casambi on request.

technical details p. 331



CUSTOMIZABLE  
COLOUR AND FINISH



Fiordlys Suspension Round | Top view - Vista dall'alto

**HAND  
MADE**

IN ITALY



Fiordlys Applique Gold



**Fiordlys Applique**

Lighting/Illuminazione: 2 X 6W E12/ E14 LED Filament bulbs.

Dimmable/dimmerabile. Pictured/In foto: Fiordlys Applique Silver.

technical details p. 331



GOLD




SILVER



WHITE

# LA VIE

BY ADRIANO RACHELE





Ø71cm


Ø34cm

Ø47cm

250



Ø34cm



BLUE



WHITE



ORANGE


The La Vie collection features a **magnetic attachment**, making it easy to clean and replace bulbs.

La collezione La Vie è dotata di attacco magnetico per facilitare pulizia e cambio lampadine.

technical details p. 338

251

technical details p. 338



Inspired by the renowned symbolism of the Flower of Life, La Vie is a representation of energy and harmony.  
Ispirata alla celebre simbologia del Fiore della Vita, La Vie è sinonimo di energia e armonia.

252



253

# FIORELLA

BY NIGEL COATES



254

technical details p. 332



255



**Fiorellina Table**

Lighting/Illuminazione: 1 X 6W E14/E12 LED Filament bulbs.

Dimensions/Dimensione: 33 x 33 x h. 34 cm



Its petals light up, creating an infinite sequence of shadows and reflections projected into the surrounding space.

I suoi petali si illuminano creando una sequenza infinita di ombre e riflessi, proiettati nello spazio.

# LIZA

BY ELISA GIOVANNONI

BAROQUE  
INSPIRED



258

technical details p. 339

Size / Dimensioni: Ø35 cm x h. 70 cm Ø13" x h. 27"  
Lighting / Illuminazione: 1 x12W LED Filament Bulb E27/E26



259

# BACH

BY FRANCESCO PARETTI



260



261

technical details p. 323

technical details p. 323



**Bach Floor**

Lighting/Illuminazione: XXL and XL 3 X 12W E27/E26 LED Filament Bulbs.

Dimensions/Dimensioni: XXL Ø31,5 x h. 184 cm (Ø12-1/2" x h. 72-1/2") - XL Ø31,5 x h. 161 cm (Ø12-1/2" x h. 63-1/2")



**STATUARY**  
ELEGANCE

# THE LIGHTING ARCHIVES OF STUDIO JOB

technical details p. 345



h.160 cm

## STUDIO JOB'S ODE TO A SLAMP MASTERPIECE

An iconographic grammar created from Dadaist derivatives drove Studio Job to write an ode to Stamp's original masterpiece from the 90's, the Tube. The collection narrates their poetry, aura, history, and daring design.

Con una grammatica iconografica di derivazione dadaista, Studio Job scrive un'ode al Tube - masterpiece di Stamp degli anni '90 - per narrarne la poetica, l'aura, la storia e l'audacia decorativa.

Job

SLAMP:  
DIMMABLE

# MIDA

BY ADRIANO RACHELE





WHITE / PLATINUM



WHITE / GOLD



MULTICOLOR



AMBER



**Mida Collection**

Lighting/ Illuminazione: Large 4X12W E26/E27 - Medium 3X 12W E26/E27 - Applique 2X6W E12/E14  
LED Filament Bulbs

# KALATOS

BY ELISA GIOVANNONI



Kalatos Suspension Prisma



270



technical details p. 335

271



THE ART OF  
**BAS  
KE  
TRY**



**Kalatos Ceiling**

Lighting/ Illuminazione: 4 X 12W E27/E26 LED Filament Bulbs - Dimmable/Dimmerabile.

# QUANTICA

BY ADRIANO RACHELE



SUSPENSION

WALL LAMP

CEILING LAMP

TABLE LAMP

FLOOR LAMP





**Lighting / Illuminazione:**

120: 8 x 12W E26/E27 LED Filament Bulbs - 75: 4 x 12W E26/E27 LED Filament Bulbs.



A **cold application** of **gold foil** creates a unique texture that printing or paints cannot replicate.

La **lamina dorata** viene **applicata a freddo** sul materiale creando un effetto materico irriproducibile con vernici o stampe.




# GEMMY

BY SPALLETTA, CROCE,  
RAGNISCO, WIJFFELS

technical details p. 333



278



**Gemmy Suspension** available in 5 finishing. Disponibile in 5 finiture.  
Lighting / Illuminazione: 1X12W E26/E27 LED Filament Bulb.




279

# DIAMOND

BY PAOLUCCI, STATERA

technical details p. 329



280

h.72cm  
Diamond Floor Medium

h.111cm  
Diamond Floor Large

h.45cm  
Diamond Small Table



281

# FLORA

BY ZANINI DE ZANINE

technical details p. 332



## Flora Floor

With/con Dimmer.

Lighting / Illuminazione: 3X12W E26/E27 LED Filament Bulb.

technical details p. 332



#### Flora Suspension

60 petals surround a hand-finished sphere illuminated from its core.

La sfera luminosa è circondata da 60 petali ed è satinata a mano.

# CACTUS

BY ADRIANO RACHELE

technical details p. 324



Cactus Floor  
Lighting/Illuminazione: XXL-XL  
2X12W E26/E27 LED Filament Bulbs



# FABULA

BY COSTANTINO MOROSIN



CEILING VERSION  
Available in 2 sizes



Ø48,5 cm



Ø60 cm



technical details p. 330



Ø60cm

Handmade with Lentiflex®, Fabula appears to be a long,  
silky piece of fabric wound around itself.

Realizzata a mano concatenando elementi di Lentiflex®, Fabula ricorda  
una lunga e soffice fascia di seta avvolta su se stessa.



# DRUSA

BY ADRIANO RACHELE

technical details p. 329

Ø60cm



**Drusa Suspension**

Lighting / Illuminazione:  
4 x12W E27/E26  
LED Filament bulb



technical details p. 329



Angie's Restaurant, Piazza di Spagna, Rome - Italy




**Drusa Ceiling/Wall**

Lighting / illuminazione: 4 x 12W E27/E26 LED Filament Bulbs (Ceiling/Wall and Suspension)

# GOCCHIA

BY STEFANO PAPI



**Goccia Suspension**

Lighting / Illuminazione: 1 x 12W E27/E26 LED Filament bulbs



DROPS  
OF LIGHT



# ATMOSFERA

BY LORENZA  
BOZZOLI



**Atmosfera Table**

Lighting / Illuminazione: 2x12W E27/E26 LED Filament bulbs



PEWTER



GOLD

Hand-finished Sphere.  
Sfera satinata a mano.



technical details p. 321

# AURORA

BY NIGEL COATES


technical details p. 321



Aurora Large Black  
Ø72cm

## Aurora Ceiling

Core covered in Schöler crystals. Available in 2 sizes.  
Struttura centrale con cristalli Schöler. Disponibile in 2 misure.



Aurora Large White



# IDEA

BY MARCANTONIO



#### Idea Wall Recessed

Placed within drywall for a floating effect. Dimmable G9 LED bulbs make for easy substitution.  
Incassata per un effetto a scomparsa. Lampadina G9 a LED dimmerabile e facilmente sostituibile.



technical details p. 335



302


MARCANTONIO

By removing everything structural and decorative, what remains is the distillation of light: a lightbulb with a golden base, "magically" suspended on a brass arm. The **G9** light source is easily changed by simply unscrewing it from the base.

Eliminato tutto ciò che in un corpo luminoso è un surplus di elementi decorativi, ciò che resta è la vera essenza della luce: una lampadina con viiola dorata "magicamente" sospesa su un'asta di ottone spazzolato. La fonte luminosa **G9** all'interno della viola è svitabile per essere sostituita agevolmente.

The bulb angle can differ from lamp to lamp and is not predetermined.

L'inclinazione del bulbo sull'asta potrebbe differire tra un pezzo e l'altro e non è predeterminabile.



technical details p. 335




**Idea Table**  
Lighting / Illuminazione: 1 x 5W G9 LED Bulb

303

# MEDUSA AND LILLIBET

AND

BY NIGEL COATES



Medusa  
Ø83 x 61 cm



Lillibet Black  
Ø66 x 47 cm



Lillibet White  
Ø66 x 47 cm




technical details p. 339



# VENTI

BY ALESSANDRO MENDINI

technical details p. 351



**Venti Floor**

Dimmer included / inclusa.

Size/Dimensioni:

37 x 21 x h. 160 cm

14-1/2" x 8-1/4" x h. 63"



# OVERLAY

BY ANALOGIA PROJECT




**Overlay Table: The Ideal Writing Lamp**

Size / Dimensioni: 43 x 17 cm x h. 52 cm - 17" x 6-1/2" x h. 20-1/2"



technical details p. 344




MONT  
BLANC



#### OVERLAY AND MONTBLANC MEISTERSTÜCK SET


The ballpoint pen is sold with the lamp in an elegant personalized case

Venduta in combinata alla penna a sfera in un cofanetto personalizzato



The sensitive touch system turns on the LED courtesy light in the brass base.

Il pulsante a sfioramento accende la luce LED di cortesia nella base in ottone.



Lifting the pen from the leather rest turns on the main LED light in the shade.

Sollevando la penna dall'alloggio in pelle, si accende la luce LED nel diffusore.



The greatest gift for passionate writers is the freedom to create without distractions, without interrupting their flow of inspiration—simply lift the pen and begin. This concept gave birth to Overlay: a perfect writing lamp whose shade illuminates the moment the Montblanc Meisterstück Le Grand, included with the lamp, is lifted

Il più grande regalo che si può fare agli appassionati di scrittura è lasciare che, colti dall'ispirazione, non debbano pensare ad altro che a sollevare la penna e incidere per sempre sulla carta i loro pensieri. E così nasce Overlay, la perfetta lampada da scrittura, il cui diffusore si accende semplicemente sollevando la **Montblanc Meisterstück Le Grand** fornita in combinata con la lampada.

# GINETTA

BY NIGEL COATES



## Ginetta Suspension

A classic 8-arm chandelier with a cylindric diffusor in iridescent polycarbonate in the core.

Il cuore di questo classico candeliere a 8 braccia è un cilindro diffondente in policarbonato iridescente.



# LAS PALMAS

BY JONAS  
CLEMENTONI

technical details p. 339



# TECHNICAL DETAILS



## ELECTRICAL INFORMATION - INFORMAZIONI ILLUMINOTECNICHE

The information in this section of the catalogue refers to electrical **STANDARDS WITH A VOLTAGE OF 220V**.  
The electrical installation components and other accessories may vary depending on the regulations of different countries;  
please contact us for more information.

Le informazioni contenute in questa sezione del catalogo si riferiscono a **STANDARD ELETTRICI A TENSIONE DI 220V**.  
Le componenti e le caratteristiche per installazione elettrica possono variare a seconda delle normative dei diversi Paesi;  
contattateci per maggiori informazioni.

## BULBS WATTAGE - WATTAGGIO LAMPADINE

The wattage of the light bulbs is suggested for an optimal balance between luminous output and product aesthetics  
and should not be considered as the maximum power that can be installed on the product. Where explicitly recommended,  
please follow the indicated bulb size and diameter.

La potenza delle lampadine è suggerita per ottenere un equilibrio ottimale tra resa luminosa ed estetica del prodotto e non deve essere  
considerata come la potenza massima che si può raggiungere con le lampadine e non deve essere considerata come la potenza massima  
installabile sul prodotto. Dove esplicitamente consigliato, attenersi alle dimensioni e al diametro della lampadina indicati.

## DIMMING SYSTEM - SISTEMI DI DIMMERAZIONE

Lamps marked as dimmable are intended to be so only if the electrical system has been prepared for such light variation.  
Ensure before ordering that the product's standard or accessory dimming system is compatible with this setting.  
This is different for floor lamps and battery-powered lamps marked as dimmable, as their dimmer is integrated.

Le lampade contrassegnate come dimmerabili sono da intendersi tali solo se l'impianto elettrico è stato predisposto per tale variazione  
di luce. Assicurarsi prima dell'ordine che il sistema di dimmerazione standard o accessorio del prodotto sia compatibile con tale  
predisposizione. Questo è diverso per le lampade da terra e le lampade a batteria contrassegnate come dimmerabili, in quanto il  
loro dimmer è integrato.

## HANDMADE PROCESS - PROCESSO MANUALE

Slight differences of colour/size are due to the handmade processes involved, every piece is unique.  
Slamp reserves the right to modify products without notice in the event of commercial conditions rendering this necessary.

Lievi differenze di colore/dimensioni sono dovute alla lavorazione manuale, ogni pezzo è unico.  
Slamp si riserva il diritto di modificare i prodotti senza preavviso nel caso in cui le condizioni commerciali lo rendano necessario.

## CERTIFICATIONS - CERTIFICAZIONI

Slamp products comply with international electrical standards. For country-specific certifications, please contact us for more information.  
I prodotti Slamp sono conformi agli standard elettrici internazionali, non esitate a contattarci per certificazioni specifiche per paese.



CB REPORT  
AVAILABLE ON REQUEST



RAEE STANDARDS COMPLIANT

## ACCORDÉON SUSPENSION

**Light Source:** 52W - 170~240Vac/24Vdc - 5.900 Lumen - 2.700 Kelvin - CRI >90, Integrated LED or 3.000 Kelvin

**Dimmable:** Triac Trailing Edge  
Additional Dali, Casambi available

**Materials:** Lentiflex®, Lentiflex® with cold foil



## ACCORDÉON VERTICAL SUSPENSION

**Light Source:** 1 X 6W E14 LED Filament Bulb (max Ø5cm)

**Dimmable:** with dimmable bulbs

**Materials:** Lentiflex®, Lentiflex® with cold foil




## ARIA APPLIQUE

**Light Source:** 2 X 6W E14 LED Filament Bulbs + 1 X 6W Spot LED PAR 16

**Dimmable:** with dimmable bulbs

**Materials:** Cristalflex®, Lentiflex®




## ARIA SUSPENSION XL

**Light Source:** 6 X 12W E27 LED Filament Bulbs + 1 X 11W Spot LED PAR 30

**Dimmable:** with dimmable bulbs

**Materials:** Cristalflex®, Lentiflex®




## ACCORDÉON TABLE

**Light Source:** 2 X 12W E27 LED Filament Bulbs + 1 X 6W E14 LED Filament Bulb

**Dimmable:** not dimmable

**With:** two position light switch, Magnetic System

**Materials:** Lentiflex®, Cristalflex



## ACCORDÉON BATTERY


**Light Source:** 1,3W - 150 Lumen - 2.700 Kelvin - Battery LED

**Duration:** at max intensity around 6,5 hours duration,  
at min intensity around 60 hours duration

**Dimmable:** with integrated dimmer

**Materials:** Lentiflex®, anodized aluminium

USB Multicharger station (20 ports) available




## ARIA SUSPENSION L

**Light Source:** 4 X 12W E27 LED Filament Bulbs + 1 X 11W Spot LED PAR 30

**Dimmable:** with dimmable bulbs

**Materials:** Cristalflex®, Lentiflex®




## ARIA SUSPENSION M

**Light Source:** 3 X 12W E27 LED Filament Bulbs + 1 X 7W Spot LED PAR 20

**Dimmable:** with dimmable bulbs

**Materials:** Cristalflex®, Lentiflex®




## ARIA SUSPENSION S

**Light Source:** 2 X 12W E27 LED Filament Bulbs + 1 X 7W Spot LED PAR 20

**Dimmable:** with dimmable bulbs

**Materials:** Cristalflex®, Lentiflex®



## ARIA INFINITA SUSPENSION



The Slamp Team can customize solutions to any space, working alongside designers.

Il team di Slamp è pronto ad offrire soluzioni su misura, lavorando a quattro mani con il progettista e sulla base delle caratteristiche dello spazio da allestire.

### 3 ARRANGEMENTS SHOW SLAMP & ZAHA HADID STUDIO PRODUCT'S DECOR POSSIBILITIES



#### ARIA INFINITA ARRANGEMENT 1

30 X 12W E27 LED Filament Bulbs + 8 x 12W Spot LED Par 38





#### ARIA INFINITA ARRANGEMENT 2

54 X 12W E27 LED Filament Bulbs + 14 x 12W Spot LED Par 38



#### ARIA INFINITA ARRANGEMENT 3

78 X 12W E27 LED Filament Bulbs + 22 x 12W Spot LED Par 38



GOLD

WHITE


## ATMOSFERA SUSPENSION

**Light Source:** 2 X 12W E27 LED Filament Bulbs

**Dimmable:** with dimmable bulbs

**With:** hand finished sphere

**Materials:** Methacrylate, Goldflex®, Lentiflex®, Pewterflex®



GOLD

PEWTER


## ATMOSFERA TABLE

**Light Source:** 2 X 12W E27 LED Filament Bulbs

**Dimmable:** not dimmable

**With:** hand finished sphere, two position light switch

**Materials:** Methacrylate, Goldflex®, Lentiflex®, Pewterflex®



GOLD

PEWTER



2 INDEPENDENT LIGHT SOURCES


## AURORA CEILING LARGE

**Light Source:** 1 X 12W E27 LED Filament Bulb

**Dimmable:** with dimmable bulbs

**With:** Magnetic hanging

**Materials:** Methacrylate



WHITE

BLACK


## AURORA CEILING SMALL

**Light Source:** 1 X 12W E27 LED Filament Bulb

**Dimmable:** with dimmable bulbs

**With:** Magnetic hanging

**Materials:** Methacrylate




MAGNETIC SYSTEM

## AVIA SUSPENSION XL

**Light Source:** 6 X 12W E27 LED Filament Bulbs + 1 X 11W Spot LED PAR 30

**Dimmable:** with dimmable bulbs

**Materials:** Cristalflex®, Lentiflex®



BLACK FADE




WHITE FADE

## AVIA SUSPENSION L

**Light Source:** 4 X 12W E27 LED Filament Bulbs + 1 X 11W Spot LED PAR 30

**Dimmable:** with dimmable bulbs

**Materials:** Cristalflex®, Lentiflex®





## AVIA SUSPENSION M

**Light Source:** 3 X 12W E27 LED Filament Bulbs + 1 X 7W Spot LED PAR 20

**Dimmable:** with dimmable bulbs

**Materials:** Cristalflex®, Lentiflex®



BLACK FADE



WHITE FADE



ULTRAMARINE  
SOLD OUT



BLUE  
LIMITED  
AVAILABILITY





TURQUOISE  
LIMITED  
AVAILABILITY

## AVIA SUSPENSION S

**Light Source:** 2 X 12W E27 LED Filament Bulbs + 1 X 7W Spot LED PAR 20

**Dimmable:** with dimmable bulbs

**Materials:** Cristalflex®, Lentiflex®



BLACK FADE



WHITE FADE


## BACH FLOOR XXL

**Light Source:** 3 X 12W E27 LED Filament Bulbs

**Dimmable:** with dimmable bulbs

**With:** stainless steel base

**Materials:** Opalflex®



WHITE



GOLD


## BACH FLOOR XL

**Light Source:** 3 X 12W E27 LED Filament Bulbs

**Dimmable:** with dimmable bulbs

**With:** stainless steel base

**Materials:** Opalflex®




## BANG STEP LIGHT OUTDOOR LARGE



**Light Source:** 2 X 4.2W Integrated Bidirectional LED 220~230 Vac - 500 Lumen - 3.000 Kelvin

**Dimmable:** not dimmable

**Materials:** Cataphoresis treated-powder-coated stainless steel



ANTHRACTITE



CORTEN




LIGHT GRAY

## BANG STEP LIGHT/ APPLIQUE OUTDOOR SMALL

**Light Source:** 2 X 4.2W Integrated Bidirectional LED 220~230 Vac - 500 Lumen - 3.000 Kelvin

**Dimmable:** not dimmable

**Materials:** Cataphoresis treated-powder-coated stainless steel




## CACTUS FLOOR XXL

**Light Source:** 2 X 12W E27 LED

Filament Bulbs

**Dimmable:** not dimmable

**Materials:** Opalflex®,



GOLD


## CACTUS FLOOR XL

**Light Source:** 2 X 12W E27 LED

Filament Bulbs

**Dimmable:** not dimmable

**Materials:** Opalflex®,




GOLD

## CEREMONY SUSPENSION

**Light Source:** 4 X 12W E27 LED Filament Bulbs + 1 X 8W GU10 SPOT LED

**Dimmable:** with dimmable bulbs

**Materials:** Lentiflex®, Opalflex®, Cristalflex®



WHITE



FUMÉ



PRISMA


## CHANTAL SUSPENSION MEDIUM

**Light Source:** 7 X 12W E27 LED Filament Bulbs

**Dimmable:** with dimmable bulbs

**With:** Magnetic hanging System

**Materials:** Cristalflex®, Lentiflex®



WHITE




ORANGE

## CHANTAL SUSPENSION SMALL

**Light Source:** 4 X 12W E27 LED Filament Bulbs

**Dimmable:** with dimmable bulbs

**Materials:** Cristalflex®, Lentiflex®



MAGNETIC SYSTEM

## LE GRAND CEREMONY

**Light Source:** 20 X 8W GU10 LED Filament Bulbs  
(max Ø5cm x h. 5) - 16.650 Lumen - 3.000 Kelvin  
+ 1 X 15W E27 LED (max Ø6,5 x h. 9 cm)


**Dimmable:** with dimmable bulbs

**Materials:** Cristalflex®


Structure finishing upon request.  
Diffusor finishing can be customized



WHITE



213 cm  
(83")



A lowered or false ceiling is necessary  
to connect the spotlight's electrical  
elements.

spotlights  
structure  
decorative  
elements


213 cm  
(83")

## CHARLOTTE GLOBE

**Light Source:** 4 X 12W E27 LED Filament Bulbs

**Dimmable:** with dimmable bulbs

**Materials:** Cristalflex®



WHITE




MAGNETIC SYSTEM

## HALF CHARLOTTE

**Light Source:** 4 X 12W E27 LED Filament Bulbs

**Dimmable:** with dimmable bulbs

**Materials:** Cristalflex®, Lentiflex®




WHITE

## CHARLOTTE APPLIQUE

**Light Source:** 1 X 12W E27 LED Filament Bulb

**Dimmable:** with dimmable bulbs

**Materials:** Cristalflex, Lentiflex®





WHITE

## CHARLOTTE APPLIQUE **OUTDOOR**

**Light Source:** 4.2W - 220~230 Vac - 500 Lumen - 3.000 Kelvin - Integrated Bidirectional LED

**Dimmable:** not dimmable

**Materials:** Cataphoresis treated-powder-coated stainless steel




## CLIZIA CEILING/WALL L

**Light Source:** 3 X 12W E27 LED Filament Bulbs

**Dimmable:** with dimmable bulbs

**With:** Magnetic hanging System  
Bayonet Mount for North America

**Materials:** Cristalflex®, Opalflex®, Cristalflex® with cold foil, Lentiflex®



MAGNETIC SYSTEM

## CLIZIA CEILING/WALL M

**Light Source:** 2 X 12W E27 LED Filament Bulbs

**Dimmable:** with dimmable bulbs

**With:** Magnetic hanging System  
Bayonet Mount for North America

**Materials:** Cristalflex®, Opalflex®, Cristalflex® with cold foil, Lentiflex®


## CLIZIA CEILING/WALL MINI

**Light Source:** 2 X 6W E14 LED Filament Bulbs

**Dimmable:** with dimmable bulbs

**With:** Magnetic hanging System  
Bayonet Mount for North America

**Materials:** Cristalflex®, Opalflex®, Cristalflex® with cold foil, Lentiflex®





## CHARLOTTE BOLLARD **OUTDOOR**

**Light Source:** 4.2W - 220~230 Vac - 500 Lumen - 3.000 Kelvin - Integrated Bidirectional LED

**Dimmable:** not dimmable

**Materials:** Cataphoresis treated-powder-coated stainless steel




## CHARLOTTE FLOOR

**Light Source:** 2 X 12W E27 LED Filament Bulbs

**Dimmable:** with dimmable bulbs

**Materials:** Cristalflex®, Lentiflex®



WHITE


## CLIZIA SUSP Ø130

**Light Source:** 15 X 12W E27 LED Filament Bulbs

**Dimmable:** with dimmable bulbs

**With:** Magnetic hanging System

**Materials:** Polycarbonate, with cold foil




## CLIZIA SUSP LARGE

**Light Source:** 4 X 12W E27 LED Filament Bulbs

**Dimmable:** with dimmable bulbs

**With:** Magnetic hanging System

**Materials:** Cristalflex®, Opalflex®, Cristalflex® with cold foil, Lentiflex®



MAGNETIC SYSTEM



## CLIZIA SUSP MEDIUM

**Light Source:** 2 X 12W E27 LED Filament Bulbs

**Dimmable:** with dimmable bulbs

**With:** Magnetic hanging System

**Materials:** Cristalflex®, Opalflex®, Cristalflex® with cold foil, Lentiflex®




MAGNETIC SYSTEM

## CLIZIA APPLIQUE

**Light Source:** 2 X 6W E14 LED Filament Bulbs

**Dimmable:** with dimmable bulbs

**Materials:** Cristalflex®




## CLIZIA TABLE

**Light Source:** 1 X 6W E14 LED Filament Bulb

**Dimmable:** not dimmable

**Materials:** Cristalflex®, Opalflex®, Lentiflex®, Cristalflex® with cold foil




## CLIZIA BATTERY

**Light Source:** 1,3W - 150 Lumen - 2.700 Kelvin - Battery LED

**Dimmable:** with integrated dimmer

**With:** at max intensity around 6,5 hours duration, at min intensity around 60 hours duration

**Materials:** Cristalflex®, Opalflex®, Lentiflex®, Cristalflex® with cold foil




## DIAMOND FLOOR L

**Light Source:** 1 X 12W E27 LED Filament Bulb

**Dimmable:** not dimmable

**Materials:** Opalflex®




## DIAMOND FLOOR M

**Light Source:** 1 X 12W E27 LED Filament Bulb

**Dimmable:** not dimmable

**Materials:** Opalflex®




## DIAMOND TABLE S

**Light Source:** 1 X 6W E14 LED Filament Bulb

**Dimmable:** not dimmable

**Materials:** Opalflex®




## CORDOBA SUSPENSION

**Light Source:** 130W - 85-265 V - 15.000 Lumen - 3.000 Kelvin - CRI >90, Integrated LED

**Dimmable:** Triac, PWM 0-10

Additional dimming system Dali, Casambi upon request.

**Materials:** Cristalflex®




## DRUSA SUSPENSION

**Light Source:** 4 X 12W E27 LED Filament Bulbs

**Dimmable:** with dimmable bulbs

**With:** Magnetic hanging System

**Materials:** Lentiflex®




## DRUSA CEILING/WALL

**Light Source:** 4 X 12W E27 LED Filament Bulbs

**Dimmable:** with dimmable bulbs

**With:** Magnetic hanging System

**Materials:** Lentiflex®




## ÉTOILE/ LA BELLE ETOILE SUSP LARGE

**Light Source:** 21W - 100~240 Vac/35-50 Vdc - 2.830 Lumen - 2.700 Kelvin - CRI >90, Integrated LED  
**Dimmable:** PWM, 0-10; Triac for 110V  
Additional dimming system Dali, Casambi upon request.

**With:** Patented Light Source with Magnetic hanging System

**Materials:** Cristalflex® or Lentiflex®




## ÉTOILE/ LA BELLE ETOILE SUSP MEDIUM

**Light Source:** 21W - 100~240 Vac/35-50 Vdc - 2.830 Lumen - 2.700 Kelvin - CRI >90, Integrated LED  
**Dimmable:** PWM, 0-10. Triac for 110V  
Additional dimming system Dali, Casambi upon request.

**With:** Patented Light Source with Magnetic hanging System

**Materials:** Cristalflex® or Lentiflex®



## ÉTOILE/ LA BELLE CEILING/WALL M

**Light Source:** 15W - 220~240 Vac/55 Vdc - 2.150 Lumen - 2.700 Kelvin - CRI >90, Integrated LED  
**Dimmable:** Triac Trailing Edge  
Additional dimming system Dali, Casambi upon request.

**With:** Patented Light Source with Magnetic hanging System

**Materials:** Cristalflex® or Lentiflex®

## FABULA CEILING/WALL LARGE

**Light Source:** 5 X 12W E27 LED Filament Bulbs

**Dimmable:** with dimmable bulbs

**With:** Magnetic hanging System

**Materials:** Lentiflex®




## FABULA CEILING/WALL MEDIUM

**Light Source:** 3 X 12W E27 LED Filament Bulbs

**Dimmable:** with dimmable bulbs

**With:** Magnetic hanging System

**Materials:** Lentiflex®




## FABULA SUSPENSION LARGE

**Light Source:** 5 X 12W E27 LED Filament Bulbs

**Dimmable:** with dimmable bulbs

**With:** Magnetic hanging System

**Materials:** Lentiflex®




## FABULA SUSPENSION MEDIUM

**Light Source:** 3 X 12W E27 LED Filament Bulbs

**Dimmable:** with dimmable bulbs

**With:** Magnetic hanging System

**Materials:** Lentiflex®




## FIORDLYS LINEAR

**Light Source:** 30W - 170~240Vac/24Vdc - 3.500 Lumen - 2.700 Kelvin - CRI >90, Integrated LED

**Dimmable:** Triac Trailing Edge

Dali, Casambi upon request.

**Materials:** Opalflex®, Lentiflex®, Opalflex® with cold foil




## FIORDLYS ROUND

**Light Source:** 36W - 170~240Vac/24Vdc - 4.300 Lumen - 2.700 Kelvin - CRI >90, Integrated LED

**Dimmable:** Triac Trailing Edge

Dali, Casambi upon request.

**Materials:** Opalflex®, Lentiflex®, Opalflex® with cold foil




## FIORDLYS APPLIQUE

**Light Source:** 2 X 6W E14 LED Filament Bulb

**Dimmable:** with dimmable bulbs

**Materials:** Opalflex®, Lentiflex®, Opalflex® with cold foil




## FIORELLA SUSPENSION

**Light Source:** 1 X 12W E27 LED

Filament Bulb

**Dimmable:** with dimmable bulbs

**Materials:** Opalflex®



WHITE


## FIORELLA SUSPENSION MINI

**Light Source:** 1 X 12W E27 LED

Filament Bulb

**Dimmable:** with dimmable bulbs

**Materials:** Opalflex®




## FIORELLINA TABLE

**Light Source:** 1 X 6W E14 LED

Filament Bulb

**Dimmable:** not dimmable

**Materials:** Opalflex®



WHITE


## GEMMY SUSPENSION

**Light Source:** 1 X 12W E27 LED Filament Bulb

Filament Bulb

**Dimmable:** with dimmable bulbs

**Materials:** Opalflex®, or Lentiflex®




## GINETTA SUSPENSION

**Light Source:** 1 X 12W E27 LED

Filament Bulb

**Dimmable:** with dimmable bulbs

**Materials:** Lentiflex®



PRISMA


## GOCCIA SUSPENSION

**Light Source:** 1 X 12W E27 LED

Filament Bulb

**Dimmable:** with dimmable bulbs

**Materials:** Lentiflex®



PRISMA


## FLORA FLOOR

**Light Source:** 3 X 12W E27 LED Filament Bulbs

**Dimmable:** with dimmable bulbs

**With:** hand finished sphere, Magnetic hanging System

**Materials:** Copperflex®, Lentiflex®, Goldflex®, Pewterflex®



WHITE



GOLD



COPPER



PEWTER


## FLORA SUSPENSION

**Light Source:** 3 X 12W E27 LED Filament Bulbs

**Dimmable:** with dimmable bulbs

**With:** hand finished sphere, Magnetic hanging System

**Materials:** Copperflex®, Lentiflex®, Goldflex®, Pewterflex®



## HANAMI SUSPENSION LARGE


**Light Source:** 10 X 5W G9 LED

Filament Bulbs - 4200 Lumen -  
3.000 Kelvin

**Dimmable:** with dimmable bulbs

**With:** dimmable bulbs included

**Materials:** Lentiflex®



PRISMA

## HANAMI SUSPENSION SMALL


**Light Source:** 5 X 5W G9 LED

Filament Bulbs - 2100 Lumen -  
3.000 Kelvin

**Dimmable:** with dimmable bulbs

**With:** dimmable bulbs included

**Materials:** Lentiflex®



## HANAMI CEILING/WALL


**Light Source:** 7 X 5W G9 LED

Filament Bulbs - 2940 Lumen -  
3.000 Kelvin


**Dimmable:** with dimmable bulbs

**With:** dimmable bulbs included

**Materials:** Lentiflex®



## HUGO ARCHITECTURAL SYSTEM



1 X HUGO MAIN  
electrified module

HUGO SIDE  
variable number from 1 to 2

1 X CEILING ROSE  
with power supply

CONNECTION CABLES  
1 or 2

## HUGO ARCHITECTURAL 2

1 MAIN + 1 SIDE

**Light Source:** 40W - 100~240 Vac/24 Vdc - 7.000 Lumen

- 3.000 Kelvin - CRI >90, Integrated LED

**Dimmable:** PWM, 0-10

Additional dimming system Dali, Triac upon request.

**Materials:** Lentiflex®

## HUGO ARCHITECTURAL 3

1 MAIN + 2 SIDE

**Light Source:** 60W - 170~240 Vac/24 Vdc - 10.500 Lumen -

3.000 Kelvin - CRI >90, Integrated LED

**Dimmable:** Triac Trailing Edge

Additional dimming system Dali, Casambi upon request.

**Materials:** Lentiflex®

## HUGO SUSPENSION

**Light Source:** 20W - 100~240 Vac/24 Vdc - 3.500 Lumen - 3.000 Kelvin - CRI >90, Integrated LED

**Dimmable:** PWM, 0-10

Dali, Triac, Casambi upon request.

**Materials:** Lentiflex®

## HUGO VERTICAL

**Light Source:** 20W - 100~240 Vac/24 Vdc - 3.500 Lumen - 3.000 Kelvin - CRI >90, Integrated LED

**Dimmable:** PWM, 0-10

Dali, Triac, Casambi upon request.

**Materials:** Lentiflex®

## HUGO FLOOR

**Light Source:** 40W - 100~240 Vac/24 Vdc - 7.000 Lumen - 3.000 Kelvin - CRI >90, Integrated LED

**Dimmable:** with integrated dimmer

**Materials:** Lentiflex®



PRISMA

## IDEA WALL RECESSED


**Light Source:** 1 X 5W G9 LED Filament Bulb (1,5 x h. 5,4 cm)

- 400 Lumen - 3000 Kelvin

**Dimmable:** with dimmable bulbs

**With:** bulb included

**Materials:** Technopolymer, Plaster



## IDEA TABLE





**Light Source:** 1 X 5W G9 LED Filament Bulb (1,5 x h. 5,4 cm)

- 400 Lumen - 3000 Kelvin

**Dimmable:** not dimmable

**With:** bulb included

**Materials:** Technopolymer, Brass




BRASS AND WHITE

## KALATOS CEILING

**Light Source:** 4 X 12W E27 LED Filament Bulbs

**Dimmable:** with dimmable bulbs

**Materials:** Metallized Polycarbonate or Lentiflex®



PRISMA




BLACK GOLD

## KALATOS SUSPENSION

**Light Source:** 4 X 12W E27 LED Filament Bulbs

**Dimmable:** with dimmable bulbs

**Materials:** Metallized Polycarbonate or Lentiflex®




## LA LOLLO SUSP XL

**Light Source:** 130W - 85-265 V -  
15.000 Lumen - 2.700 Kelvin - CRI  
>90, Integrated LED

**Dimmable:** Triac, PWM 0-10  
Additional dimming system Dali,  
Casambi upon request.

**Materials:** Lentiflex®, Lentiflex®  
with cold foil, Pewterflex®,  
Opalflex®




## LA LOLLO APPLIQUE

**Light Source:** 2 X 6W E14 LED  
Filament Bulbs

**Dimmable:** with dimmable bulbs

**Materials:** Lentiflex®, Lentiflex® with  
cold foil, Pewterflex®, Opalflex®





## LA LOLLO SUSP LARGE

**Light Source:** 80W - 170-240  
Vac/24 Vdc - 9.000 Lumen - 2.700  
Kelvin - CRI >90, Integrated LED

**Dimmable:** Triac Trailing Edge  
Additional dimming system Dali,  
Casambi upon request.

**Materials:** Lentiflex®, Lentiflex®  
with cold foil, Pewterflex®,  
Opalflex®




## LA LOLLO SUSP MEDIUM

**Light Source:** 40W - 170-240  
Vac/24 Vdc - 4.600 Lumen - 2.700  
Kelvin - CRI >90, Integrated LED

**Dimmable:** Triac Trailing Edge  
Additional dimming system Dali,  
Casambi upon request.

**Materials:** Lentiflex®, Lentiflex®  
with cold foil, Pewterflex®,  
Opalflex®





## LA LOLONA 5

**Light Source:** 390W - 100-240  
Vac/24 Vdc - 44.555 Lumen -  
2.700 Kelvin - CRI >90, Integrated

**Dimmable:** PWM, 0-10  
Additional Casambi upon request.

**Materials:** Lentiflex®, Lentiflex® with  
cold foil, Pewterflex®, Opalflex®

Product's diameter can be customized for the  
project. Technical lighting details will be adapt-  
ed to the specific project.





## LA LOLONA 4

**Light Source:** 242W - 100-240  
Vac/24 Vdc - 28.140 Lumen -  
2.700 Kelvin - CRI >90, Integrated

**Dimmable:** PWM, 1-10  
Additional Casambi upon request.

**Materials:** Lentiflex®, Lentiflex® with  
cold foil, Pewterflex®, Opalflex®

Product's diameter can be customized for the  
project. Technical lighting details will be adapt-  
ed to the specific project.





## LA LOLLO FLOOR

**Light Source:** 3 X 12W E27 LED Filament  
Bulbs

**Dimmable:** with dimmable bulbs

**Materials:** Lentiflex®, Cristalflex,  
Opalflex® with cold foil




## LA LOLLO LINEAR 140

**Light Source:** 110W - 85-265 V -  
12.420 Lumen - 2.700 Kelvin - CRI  
>90, Integrated LED

**Dimmable:** Triac, PWM 0-10  
Additional dimming system Dali,  
Casambi upon request.

**Materials:** Lentiflex®, Lentiflex®  
with cold foil, Pewterflex®,  
Opalflex®




## LA LOLLO LINEAR 100

**Light Source:** 70W - 170-240  
Vac/24 Vdc - 7.820 Lumen - 2.700  
Kelvin - CRI >90, Integrated LED

**Dimmable:** Triac Trailing Edge  
Additional dimming system Dali,  
Casambi upon request.

**Materials:** Lentiflex®, Lentiflex®  
with cold foil, Pewterflex®,  
Opalflex®




## LA TRAVIATA 220

**Light Source:** 86,4W - 100-240V - 7.500 Lumen - 3.000 Kelvin  
- CRI >90, Integrated LED + 13 X 1W Integrated LED

**Dimmable:** dimmable with Casambi or DMX  
Additional dimming system Dali upon request.

**Materials:** Lentiflex®, Methacrylate




## LA TRAVIATA 180

**Light Source:** 70,8W - 100-240V - 6.150 Lumen - 3.000 Kelvin  
- CRI >90, Integrated LED + 9 X 1W Integrated LED


**Dimmable:** dimmable with Casambi or DMX  
Additional dimming system Dali upon request.

**Materials:** Lentiflex®, Methacrylate




## LA VIE CEILING/WALL L

**Light Source:** 3 X 12W E27 LED  
Filament Bulbs  
**Dimmable:** with dimmable bulbs  
**With:** Magnetic hanging System  
(Bayonet mount for North America)  
**Materials:** Opalflex®, Lentiflex®



## LAFLEUR BATTERY TABLE

**Light Source:** 1,3W - 150 Lumen - 2.700 Kelvin - Battery LED  
**Dimmable:** with integrated dimmer  
**With:** at max intensity around 6,5 hours duration,  
at min intensity around 60 hours duration  
**Materials:** Lentiflex®, Copper Wire



VELVET  
with black base




PRISMA  
with white base



TOUCH  
DIMMER      BATTERY  
POWERED


## LA VIE CEILING/WALL M

**Light Source:** 2 X 12W E27 LED  
Filament Bulbs  
**Dimmable:** with dimmable bulbs  
**With:** Magnetic hanging System  
**Materials:** Opalflex®, Lentiflex®




## LA VIE CEILING/WALL MINI

**Light Source:** 2 X 6W E14 LED  
Filament Bulbs  
**Dimmable:** with dimmable bulbs  
**With:** Magnetic hanging System  
**Materials:** Opalflex®, Lentiflex®



## LAS PALMAS XL


**Light Source:** 3 X 12W E27 LED  
Filament Bulbs  
**Dimmable:** not dimmable  
**With:** stainless steel base - profiles  
**Materials:** Opalflex®



WHITE

## LAS PALMAS L


**Light Source:** 2 X 12W E27 LED  
Filament Bulbs  
**Dimmable:** not dimmable  
**With:** stainless steel base - profiles  
**Materials:** Opalflex®



WHITE

## LILLIBET SUSPENSION

**Light Source:** 1 X 12W E27 LED  
Filament Bulb  
**Dimmable:** with dimmable bulbs  
**With:** 56 Schöler crystals  
**Materials:** Opalflex®, Cristalflex®




BLACK



WHITE

## LAFLEUR APPLIQUE

**Light Source:** 1 X 3W G4 LED Filament Bulb  
100-220 Vac/12 Vdc - 450 Lumen - 3.000 Kelvin  
**Dimmable:** Triac Trailing Edge  
**With:** bulb included  
**Materials:** Lentiflex®, Copper Wire



Stated dimension may vary by several cm/inches as the blossom-decor is handcrafted.




VELVET  
with black structure



PRISMA  
with white structure

## LIZA TABLE



**Light Source:** 1 X 12W E27 LED  
Filament Bulbs  
**Dimmable:** not dimmable  
**Materials:** Lentiflex®, Polycarbonate



PRISMA

## MEDUSA SUSPENSION

**Light Source:** 1 X 12W E27 LED  
Filament Bulb  
**Dimmable:** with dimmable bulbs  
**With:** 56 Schöler crystals  
**Materials:** Opalflex®, Cristalflex®




BLACK

## MODULA FLOOR

**Light Source:** 70W - 100-240 Vac/24 Vdc  
- 11.810 Lumen - 3.000 Kelvin - CRI >90,  
Integrated LED

**Dimmable:** with integrated dimmer

**Materials:** Lentiflex®, Abs



BLACK PLISSÉ


# NUVEM MODULAR SYSTEM INDOOR

## MODULA SUSPENSION

**Light Source:** 35W - 170~240Vac/24Vdc - 5.905 Lumen - 3.000 Kelvin - CRI >90, Integrated LED

**Dimmable:** Triac Trailing Edge  
Dali and Casambi upon request.

**Materials:** Lentiflex®, Abs




## MIDA CEILING/WALL L

**Light Source:** 4 X 12W E27 LED  
Filament Bulbs

**Dimmable:** with dimmable bulbs  
**With:** Magnetic hanging System

**Materials:** Lentiflex®, Opalflex®, Lentiflex® with cold foil



AMBER




WHITE/PLATINUM

## MIDA CEILING/WALL M

**Light Source:** 3 X 12W E27 LED  
Filament Bulbs

**Dimmable:** with dimmable bulbs  
**With:** Magnetic hanging System

**Materials:** Lentiflex®, Opalflex®, Lentiflex® with cold foil



WHITE/GOLD




MULTICOLOR

## MIDA APPLIQUE

**Light Source:** 2 X 6W E14 LED  
Filament Bulbs

**Dimmable:** with dimmable bulbs  
**With:** Magnetic hanging System

**Materials:** Lentiflex®, Opalflex®, Lentiflex® with cold foil




## MODULA DOUBLE SUSPENSION


**Light Source:** 70W - 170~240 Vac/24 Vdc - 11.810 Lumen - 3.000 Kelvin - CRI >90, Integrated LED

**Dimmable:** Triac Trailing Edge  
Dali and Casambi upon request.

**Materials:** Lentiflex®, Abs



## MODULE



**Materials:** Opalflex® or Lentiflex®


**Weight:** net 2,2 Kg - gross 2,5 Kg

**Packaging:** 100 x 107 x h. 7 cm

**Included:** Modules connectors



## SUSPENSION BI-DIRECTIONAL SPOTLIGHT



**Light Source:** 2 X 8W GU10 LED PAR 16

**Dimmable:** with dimmable bulbs


**Materials:** Steel

**Weight:** net 0,5 Kg - gross 0,6 Kg

**Packaging:** 11 x 10 x h. 21 cm



## CEILING/ WALL SPOTLIGHT



**Light Source:** 10W - 220~240V/24Vdc - 3.000 Lumen - 3.000 Kelvin - CRI >90, Integrated LED


**Materials:** Steel

**Weight:** net 0,28 Kg - gross 0,51 Kg

**Packaging:** 8 x 8 x h. 11 cm



## CANOPY



**Fit:** max 6 electric wires

**Materials:** Steel

**Weight:** net 0,28 Kg - gross 0,51 Kg

**Packaging:** 19 x 19 x h. 6 cm



# NUVEM OUTDOOR MODULAR SYSTEM

Stamp offers a consulting and design service for the Nuvem system, **guiding clients in the configuration process**, which is **fully tailored** to the project's characteristics and the specific needs of the space, thanks to the system's standard and customizable accessories.

## MODULE

	<p>6 cm (2 - 1/2")</p> <p>103,5 cm (40 - 3/4")</p> <p>96 cm (37 - 3/4")</p>	<p>Materials: Polycarbonate</p> <p>Weight: net 3,5 Kg - gross 5,36 Kg</p> <p>Packaging: 108 x 100,5 x h. 7,5 cm</p> <p>NOT Included: Clips for modules connection</p>
--	---	---

## LIGHT UNIT

	<p>UNITÀ LUMINOSA</p> <p>1 segment of the Light Unit 1 segmento luminoso</p>	<p>Can be defined according to the project</p>
--	--	--

## SPOT LIGHT

	<p>UNITÀ LUMINOSA SPOT</p> <p>13 cm (5-1/4")</p> <p>6,8 cm (2-3/4")</p>	<p>Light Source: 4,2W - 220~230 Vac - 500 Lumen - 3.000 Kelvin - Integrated Bidirectional LED</p> <p>Dimmable: not dimmable</p> <p>Materials: Polycarbonate</p> <p>Weight: net 0,28 Kg - gross 0,51 Kg</p> <p>Packaging: 18,5 x 19 x h. 13,5 cm</p>
--	---	---

## JUNCTION CASE

	<p>SCATOLA DI DERIVAZIONE</p> <p>13 cm (5-1/4")</p> <p>6,8 cm (2-3/4")</p>	<p>6X SPOTS OR LIGHT UNITS</p> <p>Materials: Polycarbonate</p> <p>Weight: net 0,2 Kg - gross 0,21 Kg</p> <p>Packaging: 18 x 26 x h. 7 cm</p> <p>Up to: 6 light units or 6 spots</p>
--	--	---

## CABLE CLAMPS

	<p>FERMACAVI ELETTRICI</p> <p>The cables run discreetly and invisibly across the modules and can be fixed securely in place thanks to wire clamps.</p> <p>I cavi elettrici corrono sui moduli in modo discreto e invisibile grazie a degli appositi fermacavi.</p>	To be defined according to the project
--	--	--

## MODULE CLIPS

	<p>CLIP CONNESSIONE MODULI</p>	<p>Materials: Polycarbonate</p> <p>Weight: net 0,008 Kg - gross 0,01 Kg</p> <p>Packaging: 14 x 9 x h. 1,5 cm</p> <p>Pack of: 10 pieces</p>
--	--------------------------------	--

## MODULE CLIPPER

	<p>STRUMENTO CONNESSIONE MODULI</p> <p>CLIP CLIPPER</p>	<p>Weight: net 0,042 Kg - gross 0,05 Kg</p> <p>Packaging: 9,4 x 18 x h. 3,2 cm</p>
--	---	--

## SUSPENSION KIT (CEILING INSTALLATION)

	To be defined according to the project
--	--

## WALL SPACERS (WALL INSTALLATION)

	<p>DISTANZIATORI MODULI - PARETE</p> <p>SPACER DISTANZIATORE</p> <p>ANCHOR BLOCK INCLUDED BLOCCO INCLUSO</p>	To be defined according to the project
--	--	--

## ANCHOR BLOCK (WALL INSTALLATION)

	<p>BLOCCO MODULI - PARETE</p>	<p>Materials: Polycarbonate</p> <p>Weight: net 0,025 Kg - gross 0,03 Kg</p> <p>Packaging: 14 x 9 x h. 2,8 cm</p>
--	-------------------------------	--


## ODEON CEILING 100

**Light Source:** 12 X 12W E27 LED Filament Bulbs

+ 1 X 11W Spot LED PAR 30

**Dimmable:** with dimmable bulbs

**Materials:** Lentiflex®, Lentiflex® with cold foil



GOLD


## ODEON CEILING 65

**Light Source:** 6 X 12W E27 LED Filament Bulbs +

1 X 11W Spot LED PAR 30

**Dimmable:** with dimmable bulbs

**Materials:** Lentiflex®, Lentiflex® with cold foil




## QUANTICA SUSPENSION 120

**Light Source:** 8 X 12W E27 LED

Filament Bulbs

**Dimmable:** with dimmable bulbs

**Materials:** Opalflex® with cold foil



GOLD


## QUANTICA SUSPENSION 75

**Light Source:** 4 X 12W E27 LED

Filament Bulbs

**Dimmable:** with dimmable bulbs

**Materials:** Opalflex® with cold foil



## OVERLAY THE IDEAL WRITING LAMP


**Light Source:** 4W - 24V Vdc - 500 Lumen - 2.700 Kelvin - CRI >90, Integrated LED

+ 1 X 1,5W Integrated LED

**Dimmable:** not dimmable

**Materials:** Brass, Lentiflex® with cold foil, Lentiflex®

MONT  
BLANC



AVAILABLE WITH MEISTERSTÜCK LEGRAND  
BALPOINT PEN GOLD-COATED



BRASS




## THE LIGHTINING ARCHIVES FLOOR

**Light Source:** 3 X 12W E27 LED

Filament Bulbs

**Dimmable:** with dimmable bulbs

**Materials:** Opalflex®, Cristalflex®



FAENA



L'AFRIQUE



LABYRINTH  
LOVE PEACE JOY


## TULIP BATTERY

**Light Source:** 1 X 1,3W Battery LED - 150 Lumen - 3.000 Kelvin

**Dimmable:** with integrated dimmer

**With:** at max intensity around 6,5 hours duration, at min intensity around 60 hours duration

**Materials:** Lentiflex®, anodized aluminium



## TULIP SUSPENSION 7 ROUND

**Light Source:** 7 X 3,2W Integrated LED 100~240 Vac/24 Vdc - 3.150 Lumen - 3.000 Kelvin

**Dimmable:** PWM, 0-10

Dali, Casambi, Triac upon request.

**Materials:** Lentiflex®, Matte Brushed Brass


## TULIP SUSPENSION 14 ROUND

**Light Source:** 14 X 3,2W Integrated LED 100~240 Vac/24 Vdc - 6.300 Lumen - 3.000 Kelvin

**Dimmable:** PWM, 0-10

Dali, Casambi, Triac upon request.

**Materials:** Lentiflex®, Matte Brushed Brass




## TULIP SUSPENSION 7 LINEAR

**Light Source:** 7 X 3,2W Integrated LED 100~240 Vac/24 Vdc - 3.150 Lumen - 3.000 Kelvin

**Dimmable:** PWM, 0-10

Dali, Casambi, Triac upon request.

**Materials:** Lentiflex®, Matte Brushed Brass




## TULIP SUSPENSION 14 LINEAR

**Light Source:** 14 X 3,2W Integrated LED 100~240 Vac/24 Vdc - 6.300 Lumen - 3.000 Kelvin

**Dimmable:** PWM, 0-10

Dali, Casambi, Triac upon request.

**Materials:** Lentiflex®, Matte Brushed Brass




## TULIP SUSPENSION 14 FREE-STANDING

**Light Source:** 14 X 3,2W Integrated LED 100~240 Vac/24 Vdc - 6.300 Lumen - 3.000 Kelvin


**Dimmable:** PWM, 0-10

Dali, Casambi, Triac upon request.

**Materials:** Lentiflex®, Matte Brushed Brass




CANOPY  
Ø30 x h.4,5 cm  
Ø11,7" x 1,75"



## VELI SUSPENSION LARGE

**Light Source:** 4 X 12W E27 LED Filament Bulbs  
**Dimmable:** with dimmable bulbs  
**With:** Magnetic hanging System  
**Materials:** Opalflex® / Lentiflex® / Goldflex® / Copperflex®




## VELI SUSPENSION LARGE - FOLIAGE

**Light Source:** 4 X 12W E27 LED Filament Bulbs  
**Dimmable:** with dimmable bulbs  
**With:** Magnetic hanging System  
**Materials:** Opalflex®




## VELI SUSPENSION SMALL

**Light Source:** 2 X 12W E27 LED Filament Bulbs  
**Dimmable:** with dimmable bulbs  
**With:** Magnetic hanging System  
**Materials:** Opalflex® / Lentiflex® / Goldflex® / Copperflex®




## VELI SUSPENSION SMALL - FOLIAGE

**Light Source:** 2 X 12W E27 LED Filament Bulbs  
**Dimmable:** with dimmable bulbs  
**With:** Magnetic hanging System  
**Materials:** Opalflex®




## VELI SUSPENSION LARGE - AUREA

**Light Source:** 4 X 12W E27 LED Filament Bulbs  
**Dimmable:** with dimmable bulbs  
**With:** Magnetic hanging System  
**Materials:** Opalflex® and Lentiflex® with cold foil




## VELI SUSPENSION SMALL - AUREA

**Light Source:** 2 X 12W E27 LED Filament Bulbs  
**Dimmable:** with dimmable bulbs  
**With:** Magnetic hanging System  
**Materials:** Opalflex® and Lentiflex® with cold foil





## VELI SUSPENSION MINI COUTURE

**Light Source:** 1 X 12W E27 LED Filament Bulb  
**Dimmable:** with dimmable bulbs  
**With:** Magnetic hanging System  
**Materials:** Opalflex®



## VELI SUSPENSION 7

**Light Source:** 4 X 12W E27 LED Filament Bulbs  
**Dimmable:** with dimmable bulbs  
**With:** Magnetic hanging System  
**Materials:** Opalflex® / Lentiflex® / Goldflex®





# MISSION

WE CREATE LIGHTING THAT SETS  
AN IMMERSIVE BACKDROP  
FOR INDOOR AND OUTDOOR SPACES.

LAMPS WITH A **STRONG IDENTITY**,  
DEFINED BY A **WEIGHTLESS, ELEGANT TOUCH**.

LAMPS DESIGNED BY INTERNATIONAL  
ARCHITECTS, DESIGNERS AND ARTISTS.

LAMPS INTRINSICALLY ITALIAN,  
HAND-CRAFTED BY EXPERTS (SARTE DELLA LUCE)  
THAT APPLY A DISCIPLINE IN SUSTAINABLE,  
QUALITY ARTISAN HERITAGE.

CREIAMO LAMPADE CHE DEFINISCONO SCENOGRAFIE EMOZIONALI  
IN AMBIENTI INDOOR E OUTDOOR.

LAMPADE CON UNA FORTE IDENTITÀ, RICONOSCIBILITÀ,  
LEGGERE ED ELEGANTI.

LAMPADE PROGETTATE DA GRANDI ARCHITETTI,  
DESIGNER E ARTISTI INTERNAZIONALI.

LAMPADE INTRISE DI ITALIANITÀ, REALIZZATE A MANO DA TALENTUOSE  
SARTE DELLA LUCE, SEGUENDO RIGOROSI  
PROCESSI DI QUALITÀ E SOSTENIBILITÀ.

**SLAMP**

ALL RIGHTS RESERVED © SLAMP S.p.A

PRODUCT PHOTO CREDITS

Thomas Pagani  
Ezio Gosti  
Massimo Listri  
Pedro Sadio  
Lorenzo Sechi  
Fabio Di Carlo

Printed in March 2025

SLAMP S.p.A.


Via Vaccareccia 12/14 - 00071 - Pomezia, Roma, Italy  
tel. +39 06 916 23 91 | [info@slamp.com](mailto:info@slamp.com) | [www.slamp.com](http://www.slamp.com)

FOLLOW US ON



SPECIAL THANKS TO



The background features a complex geometric pattern of concentric circles in white, set against a dark blue and black gradient. In the center, there is a vertical band of light green color.

**SLAMP:**